

## TECHNICAL DESCRIPTION

### MOD. ELITE

#### EXECUTIVE DESKS

The desks are rectangular in shape, they are available in three types:

= with pedestal

= with pedestal and 1 PCU compartment. The compartment can be equipped with an optional shelf or "A" insert.

= with extension, always to be completed with a "B" type insert available in 2 different materials. (Melamine, wood essence)

The desk top and side are available in two levels of finishes:

1- Melamine: made of melamine-faced 35 mm thick wood particle board panels, perimeter finished with 2 mm thick ABS edge to match the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 35 mm, plated on both sides (or counter plated for the bottom part of the tops) with pre-compound wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge to match the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

Under the top there is a channelled structural beam suitable for wiring and equipped with 2 USB "charger A+C" placed on the head and with 3 sockets kit (SCHUKO or UK sockets) to be inserted along its side. The beam is made of metal sheet 1.2 mm thick, bent and painted with epoxy powder black colour. The fixing under the top, on the side and on the drawers / extension by means of metric pitch screws.

The side of the desk is equipped with levelling feet in black nylon. The coupling between the work top and the supporting side takes place through 45° processing and fixing with mechanical metal joints.

The modesty panel is made of particle board panels 25 mm thick in BLACK 51, perimeter finished with 0,45 mm thick ABS edge to match the surface. The modesty panel is connected to the side and the pedestal or extension, using metric screws and mechanical joints.

#### EXTENSION AND STRUCTURAL PEDESTALS

Internal structure and plinth made with particle board panels 18 mm thick in BLACK 51, perimeter finished with ABS edge 0,45 mm thick in the same colour as the surface. Black plastic slides are inserted under the plinth.

End sides and top made with particle board panels 25 mm thick in BLACK 51, perimeter finished with 2 mm thick ABS edge in the same colour as the surface. These elements join together with a 45° cut.

The internal structure of the drawers is made with particle wood panels 12 mm thick in BLACK 51, perimeter finished with black ABS edge 0,45 mm thick. The drawers are equipped with a press-open system, they slide on mini-square steel ball bearing rails with stop-end opening and soft-closing.

The drawer fronts are available in two levels of finishes:

1- Melamine: made of melamine-faced 18 mm thick particle board panels, perimeter finished with 2 mm thick ABS edge in the same colour as the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 18 mm, plated on both sides (or counter plated for the bottom part of the tops) with pre-compound wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge to match the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

For the extension, an RFID type electronic lock complete with

master and user cards is available as an option.

#### TYPE "A" INSERTS (optional for pedestal unit with PCU compartment) AND "B" FOR EXTENSIONS

Available in two different finishes:

1- Melamine: made of melamine-faced 12 mm thick particle board panels.

Available in the following colours: BLACK 51, DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made of particle board panels with a minimum thickness of 12 mm, plated on both sides with pre-composite wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

#### COFFEE TABLES

The coffee tables are square or rectangular:

- L. 60 x p.60 x H.41,7 cms

- L.120 x p.60 x H.41,7 cms

The paneled structure is made with particle wood panels 18 mm thick melamine-faced, available in BLACK 51, perimeter finished with 0,45 mm ABS edge.

The top is available in two levels of finishes:

1- Melamine: made of melamine-faced 35 mm thick wood particle board panels, perimeter finished with 2 mm thick ABS edge to match the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 35 mm, plated on both sides (or counter plated for the bottom part of the tops) with pre-compound wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge to match the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

#### MEETING TABLES

The tables are square or rectangular:

- L.140 x p.140 x H.75 cms

- L.240 x p.120 x H.75 cms

They are all equipped with cable lifting carters placed adjacent to the supporting sides.

The tops are available in two levels of finishes:

1- Melamine: made of melamine-faced 35 mm thick wood particle board panels, perimeter finished with 2 mm thick ABS edge to match the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 35 mm, plated on both sides (or counter plated for the bottom part of the tops) with pre-compound wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge to match the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

All the tops have a hole for insert the top-access (supplied separately).

Under the rectangular table top there is a channelled structural beam suitable for wiring. The beam is made of metal sheet 1.2 mm thick, bent and painted with epoxy powder black colour. The fixing under the top and to the sides by means of metric screws.

The sides, always in BLACK 51, are made of particle-wood panels 35 mm thick finished with 2 mm thick ABS edge in the same colour as the surface and fitted with black nylon levelling feet.

The coupling between the work top and the supporting sides takes place through mechanical metal joints.

#### COMPOUND MEETING TABLES

The tables are rectangular:

- L.420 x p.140 x H.75 cms

- L.490 x p.140 x H.75 cms

- L.560 x p.140 x H.75 cms

They are all equipped with cable lifting carterers placed adjacent to the supporting sides.

The tops are available in two levels of finishes:

1- Melamine: made of melamine-faced 35 mm thick wood particle board panels, perimeter finished with 2 mm thick ABS edge to match the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 35 mm, plated on both sides (or counter plated for the bottom part of the tops) with pre-compound wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge to match the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

All the tops have a hole for insert the top-access (supplied separately).

The end sides, always in color BLACK 51, are made of particle-wood panels. 25 mm finished with a 2 mm thick ABS edge trim in the same color as the surface and fitted with black nylon levelling feet.

The central base, always in color BLACK 51, is an inspectable wire manager type column with sides assembled with a 45 ° cut and an opening door, all 25 mm thick. The terminal and central bases are connected by double backs of thickness mm.18, color BLACK 51, finished perimeter with abs edge mm. 0:45. Between the two backs are placed 18 mm thick shelves, with the same characteristics, used for cable collection.

The coupling between the work top and the supporting sides takes place through mechanical metal joints.

#### TOP ACCESS FOR MEETING TABLES

Available in two types: without and with electrical sockets. Made of painted aluminum in the finish BLACK.

Equipped with a dual opening system for access to the cable tray below or, in the second version, to the electrical sockets supplied. Both types are equipped with a black dust brush.

#### SHELVES WITH BOISERIE PANEL

They are equipped with concealed hangers for fixing to the wall.

Composed of two parts:

--Rear wall panel made of particleboard 18 mm thick melamine faced in BLACK 51 edged in ABS 0,45 mm thick in the same colour as the surface.

- Shelf made of 35 mm thick wood particles bordered on the perimeter with the same colour edge, available in two different types of materials:

1- Melamine: in the colours: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: in the colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

The shelves are also available in the version with integrated LED strip.

#### SUSPENDED CABINET

Structure equipped with concealed hangers for fixing to the wall. It consists of: base, top, two sides, back and is made of particle board wood panels melamine faced 18 mm thick, available in BLACK 51, perimeter finished with 0,45 mm thick ABS edge.

Doors available in two versions of finishes:

1- Melamine: made of melamine-faced 18 mm thick particle board panels, perimeter finished with 2 mm thick ABS edge in the same colour as the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 18 mm, plated on both sides with pre-composite wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick

veneer edge matching the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

#### MONOLITHIC CABINETS

Structure consisting of: base, top, two sides, back (18 mm thick inserted in milled section) and shelves.

It is made with particle wood panels 25 mm thick melamine-faced, available in BLACK 51, perimeter finished with 0,45 mm ABS edge.

The internal structure of the large drawers is made with particle wood panels 12 mm thick in BLACK 51, perimeter finished with black ABS edge 0,45 mm thick. The sliding guides, equipped with a press-open system, are made of metal mini-square type and run on steel balls with a stop-end opening and soft closing. They are also complete with a closing alignment mechanism.

Fronts and doors

The doors are available in the following types: hinged or sliding opening.

The hinges for the hinged doors, in titanium color, are of the wing type with metal box with 110 ° opening, complete with bases, with 3D adjustment, and with soft-closing cushioning system.

The sliding doors move on aluminium profiles painted black, applied frontally to the structure through concealed mechanical fasteners, and are equipped with nylon wheels on steel ball bearings with a recall device for the cushioned and silenced closure.

None of the doors of the monolithic containers is equipped with lock.

All doors are available in three versions of finishes (for drawer fronts the first three):

1- Melamine: made of melamine-faced 18 mm thick particle board panels, perimeter finished with 2 mm thick ABS edge in the same colour as the surface.

Available in: DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 18 mm, plated on both sides with pre-composite wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge matching the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

3- Glass: 4 mm thick tempered back-lacquered sheet mounted on a black painted concealed extruded aluminium frame.

Back-lacquering available in : BLACK 10 and LONDON GREY 71.

Top and final sides are made with particle board panels 18 mm thick melamine-faced, perimeter finished with 2 mm thick ABS edge in the same colour as the surface.

Available in BLACK 51. Height adjustable feet in nylon are inserted on the base, adjustment range 15 mm.

#### LOW, MEDIUM AND HIGH CABINETS

Structure consisting of: base, top, two sides, back (18 mm thick inserted in a milled section) and shelves.

It is made with particle wood panels 18 mm thick melamine-faced, available in BLACK 51, perimeter finished with 0,45 mm ABS edge. Height adjustable feet in black nylon are inserted on the base (4 on cabinet L.45, 5 on cabinet L.90), with an adjustment range of 15 mm.

The wooden drawers are equipped with sides in 12 mm thick wood fibre covered in black PVC, the bottom is in fibre with a thickness of 3 mm. The sliding guides are of the metal type with nylon bearings with end-stop in extraction and self-closing.

Shelves made with particle board panels 25 mm thick melamine-faced, available in BLACK 51, perimeter finished with ABS edge 0,45 mm thick in the same colour as the surface. They are equipped with concealed hardware. They can be positioned in height with a 32 mm pitch.

Fronts and doors available in two versions of finishes:

1- Melamine: made of melamine-faced 18 mm thick particle

board panels, perimeter finished with 2 mm thick ABS edge in the same colour as the surface.

Available in : DARK POPLAR 63, LIGHT POPLAR 64.

2- Wood essence: made with particle board panels with a minimum thickness of 18 mm, plated on both sides with pre-composite wood veneer 0.6 mm thick, surface painted matt 5 gloss acrylic open pore. Perimeter finished with 1,5 mm thick veneer edge matching the surface.

Available in the following colours: CLASSIC EBONY 25, MODERN ELM 26, CANALETTO WALNUT 27.

The hinges , in titanium color, are of the wing type with metal box with 110 ° opening, complete with bases, with 3D adjustment, and with a soft-closing cushioning system.

The low and medium-sized wooden doors are equipped with a locking blade, the high ones with rotating rods with 2 locking points.

All locks have a removable cylinder and are supplied with a double anti-accident folding key.

Handle with "Bridge" shaped design, made of metal with center distance 96mm, available in BLACK colour.

The glass doors are complete with lock, without handle, with perimeter frame in black painted aluminium (concealed) and back-lacquered tempered glass 4 mm thick in: BLACK 10, GREY LONDON 71.

#### **TOP AND FINAL SIDES**

They are made with particle board panels 18 mm thick melamine-faced, perimeter finished with 2 mm thick ABS edge in the same colour as the surface. Available in BLACK 51.

#### **PACKING**

All components are supplied disassembled and packaged with a foldable triple-cardboard box, perimeter protection strips and filling where necessary. The corners are protected, where necessary, with anti-impact protective corners. The packaging is closed by adhesive tape and heat-sealed nylon strap.

The pedestals are supplied assembled, protected on the sides with polystyrene corner pieces and packed with heat-shrink polyethylene leaf.

Released by the Technical Office of LAS MOBILI  
last revision date: OCTOBER 2021

**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

**[www.city-office.lv](http://www.city-office.lv)**

[info@city-office.lv](mailto:info@city-office.lv)