



## Technical data

|                         |                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>product versions</b> | <p>10S - swivel, high backrest, Synchro mechanism</p> <p>10Z - swivel, high backrest, Rocker mechanism</p> <p>20S - swivel, low backrest, Synchro mechanism</p> <p>20Z - swivel, low backrest, Rocker mechanism</p>                                                                                                                                                 |
| <b>mechanism</b>        | <p>Synchro S - adjustment of seat height, synchronising mechanism with the possibility to adjust the resilience of the backrest to the weight of the sitting person. The synchro mechanism can be locked in one of four positions.</p> <p>Z - Rocker mechanism</p>                                                                                                  |
| <b>base</b>             | Five-star base (polished aluminium)                                                                                                                                                                                                                                                                                                                                 |
| <b>armrests</b>         | <ul style="list-style-type: none"> <li>- PU - aluminium armrest, polyurethane armpad</li> <li>- O - aluminium armrest, upholstered armpad: <ul style="list-style-type: none"> <li>- models with leather upholstery - armpad upholstered with the same colour</li> <li>- models with fabric or Softline upholstery - black leather on the pad</li> </ul> </li> </ul> |
| <b>castors</b>          | <ul style="list-style-type: none"> <li>- standard - hard castors</li> <li>- option - soft castors</li> </ul>                                                                                                                                                                                                                                                        |
| <b>seat</b>             | Metal frame; cold molded foam - density 80 kg/m <sup>3</sup> .                                                                                                                                                                                                                                                                                                      |
| <b>backrest</b>         | <p>Metal inside frame equipped with wave springs; cold molded foam:</p> <ul style="list-style-type: none"> <li>- high backrest - density 75 kg/m<sup>3</sup></li> <li>- low backrest - density 80 kg/m<sup>3</sup></li> </ul>                                                                                                                                       |
| <b>net weight</b>       | <p>10S - 22,5 kg</p> <p>10Z - 22,0 kg</p> <p>20S - 21,5 kg</p>                                                                                                                                                                                                                                                                                                      |

20Z - 21,0 kg

**gross weight**





10S - 28,5 kg

10Z - 28,0 kg

20S - 26,5 kg

20Z - 26,0 kg

## Dimensions





## Technical data

|                            |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>product description</b> | <p>21V - cantilever, low backrest, armrests (stackable version)</p> <p>21VN - cantilever, low backrest, armrests (non-stackable version)</p> <p>10F - conference, swivel, high backrest, 4-star base</p> <p>10FZ - conference, swivel, high backrest, Rocker mechanism, 4-star base</p> <p>20F - conference, swivel, low backrest, 4-star base</p> <p>20FZ - conference, swivel, low backrest, Rocker mechanism, 4-star base</p> |
| <b>mechanism</b>           | <p>Version 10FZ/20FZ</p> <p>Z - Rocker mechanism - it's a mechanism that enables tilting the shell back and forward, the front tilt eliminates pressure on the back of thighs whilst working at the desk; the mechanism locks in one position only when tilting back; at an angle of <math>\pm 12^\circ</math>, the chair tilts forward at <math>3^\circ</math></p>                                                              |
| <b>base</b>                | <p>Version 10F/10FZ/20F/20FZ</p> <p>Four-star aluminium base:</p> <ul style="list-style-type: none"> <li>- chrome (polished aluminium)</li> </ul>                                                                                                                                                                                                                                                                                |
| <b>frame</b>               | <p>Version V/VN</p> <p>Metal tube with cross section fi 25 mm.</p> <p>Variants:</p> <ul style="list-style-type: none"> <li>- shiny chrome (chrome)</li> <li>- satin chrome (chrome)</li> </ul>                                                                                                                                                                                                                                   |
| <b>armrest</b>             | <ul style="list-style-type: none"> <li>- PU - aluminium armrest , polyurethane armpad (only in swivel versions)</li> <li>- O - aluminium armrest, upholstered armpad: <ul style="list-style-type: none"> <li>- models with leather upholstery - armpad upholstered with the same colour</li> <li>- models with fabric or Softline upholstery - black leather on the pad</li> </ul> </li> </ul>                                   |
| <b>glides</b>              | <ul style="list-style-type: none"> <li>- standard - hard glides (for soft floors)</li> </ul>                                                                                                                                                                                                                                                                                                                                     |

- option - felt glides (for hard floors)
- option - teflon glides (universal)

**seat** Version V/VN  
Metal frame; cold molded foam - density 65 kg/m3

Version 10F/10FZ/20F/20FZ  
Metal frame; cold molded foam - density 80 kg/m3.

**backrest** Version V/VN  
Flexible; metal frame; cold molded foam - density 90 kg/m3.

Version 10F/10FZ/20F/20FZ  
Metal inside frame equipped with wave springs; cold molded foam:  
- high backrest - density 75 kg/m3  
- low backrest - density 80 kg/m3

**net weight** 21V / 21VN - 12,5 kg  
10F/10FZ - 22,0 kg  
20F/20FZ - 21,0 kg

**gross weight** 21V / 21VN - 16,5 kg  
10F/10FZ - 28,0 kg  
20F/20FZ - 26,0 kg

**stacking** 2 pcs. (only V version)

## Dimensions



**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

[www.city-office.lv](http://www.city-office.lv)

info@city-office.lv