

Chester Linea Lynx Manager Mirage Nadir Nova Orion

Chester, Linea, Lynx



No. of pcs per 1200 × 800 pallet (mm)	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description		
8		22	525	470	9722-500 972-500 972-500		CHESTER ST28-POL - upholstered seat and backrest, - base – Ø 700 mm five-star polished aluminium with chrome effect (ST28-POL), - 2-D armrests – armrest structure made of polished aluminium with chrome effect and black plastic with upholstered armrest pads (R23P2-CR-xx), - synchronous mechanism (ES), - castors – Ø 65 mm for soft floors (ESH). CHESTER ST28-POL R23P2-CR-xx ES xx ESH
	8	22.5	525	470	252-252 253-250 253-250 253-250 253-250 253-250	Ţ	CHESTER HRU ST28-POL - upholstered seat and backrest, - headrest – fixed, upholstered (HRU), - base – Ø 700 mm five-star polished aluminium with chrome effect (ST28-POL), - 2-D armrests – armrest structure made of polished aluminium with chrome effect and black plastic with upholstered armrest pads (R23P2-CR-xx), - synchronous mechanism (ES), - castors – Ø 65 mm for soft floors (ESH). CHESTER-HRU ST28-POL R23P2-CR-xx ES xx ESH
1200	llet ×800:	14.9	525	470	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1	CHESTER LB CFP-CR - upholstered seat and low backrest (LB), - cantilever frame chromium plated (CFP-CR) with wooden stained armrest pads (NF2-xx). CHESTER-LB CFP-CR NF2-xx xx
	8	23.5	520	440	200 000 000 000 000 000 000 000 000 000	1	LINEA ST04-POL - upholstered seat and backrest, - base − Ø 700 mm five-star polished aluminium with chrome effect (ST04-POL), - fixed armrests − made of steel chromium plated with upholstered armrest pads (PF17-CR-xx), - tilt mechanism (MPD170), - castors − Ø 50 mm for soft floors (SH). LINEA ST04-POL PF17-CR-xx MPD170 xx SH
LINEA COAT HANGER - chromium plated coat hanger (CTH)							
	8	18.7	500	430	250 of the Other Control of th		LYNX ST43-POL - upholstered seat and high backrest, - base – Ø 696 mm polished aluminium with chrome effect (ST43-POL), - fixed armrests – made of steel chromium plated with polypropylene pads (PF40-CR), - tilt mechanism (MPD170), - castors – Ø 65 mm for soft floors (ESH). LYNX ST43-POL PF40-CR MPD170 xx ESH
	8	18.2	500	435	1000-1885 25-550	*	LYNX LB ST43-POL - upholstered seat and low backrest (LB), - base − Ø 696 mm polished aluminium with chrome effect (ST43-POL), - fixed armrests − made of steel chromium plated with polypropylene pads (PF40-CR), - tilt mechanism (MPD170), - castors − Ø 65 mm for soft floors (ESH). LYNX-LB ST43-POL PF40-CR MPD170 xx ESH

Lynx, Manager, Mirage



No. of pcs per 1200 × 800 pallet (mm)	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description		
4		16.6	520	470	S S S S S S S S S S S S S S S S S S S	LYNX LB CFP-CR - upholstered seat and low backrest (LB), - cantilever frame chromium plated (CFP-CR) with wooden armrest pads stained in black colour (NF-3.097), - glides for soft floors (GB). LYNX-LB CFP-CR NF-3.097 xx GB	
	8	18.7	505	480	97/5 - H45 - 67/5 - H45	MANAGER TS06 - upholstered seat and backrest, - base – Ø 715 mm five-star black polyamide (TS06), - fixed armrests – made of polyurethane (<u>PF6</u>), - tilt mechanism (<u>TILT/C</u>), - castors – Ø 50 mm for soft floors (<u>SH</u>). MANAGER TS06 PF6 TILT/C xx SH	
10		15.8	520	450	981-9901 005-0p	MANAGER KD TS06 - upholstered seat and backrest, - base – Ø 715 mm five-star black polyamide (TS06), - fixed armrests – made of polypropylene (PF18), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MANAGER-KD TS06 PF18 TILT/C xx SH	
10		14.9	520	450	081-100 100 -1100 100 -1100 10	MANAGER KD ST02 - upholstered seat and backrest, - base – Ø 685 mm five-star steel chromium plated (ST02-CR), - fixed armrests – made of polypropylene (PF18) - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MANAGER-KD ST02-CR PF18 TILT/C xx SH	
	8	15.8	505	480	S. (S. y. o.g.)	MANAGER LB CF - upholstered seat and low backrest (LB), - cantilever frame powder-coated in Jet black RAL 9005 colour (CF-BL), - fixed armrests – made of polyurethane (PF6). MANAGER-LB CF-BL PF6 xx	
	8	16.3	500	470	081-0901 089 075	MIRAGE TS06 - upholstered seat and high backrest, - base – Ø 715 mm five-star black polyamide (TS06), - fixed armrests – made of polyurethane (PF12), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MIRAGE TS06PF12 TILT/C xx SH	
	8	14.5	500	470	9715	MIRAGE LB TS06 - upholstered seat and low backrest (LB), - base – Ø 715 mm five-star black polyamide (TS06), - fixed armrests – made of polyurethane (PF12), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MIRAGE-LB TS06 PF12 TILT/C xx SH	
	8	13.2	500	470	565	MIRAGE LB CF - upholstered seat and low backrest (LB), - cantilever frame powder-coated in Jet black RAL 9005 colour (CF-BL), - fixed armrests – made of polyurethane (PF12). MIRAGE-LB CF-BL PF12 xx	

Mirage, Nadir



No. of pcs per 1200 × 800 pallet (mm)	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description		
	8	21.4	500	470	90 00 00 00 00 00 00 00 00 00 00 00 00 0	MIRAGE ST02-CR - upholstered seat and high backrest, - base – Ø 685 mm five-star steel chromium plated (ST02-CR), - fixed armrests – made of steel chromium plated with pads upholstered pads (PF31-CR-xx), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MIRAGE ST02-CR PF31-CR-xx TILT/C xx SH	
8		17.8	500	470	985-014 985-014 985-014	MIRAGE LB ST02-CR - upholstered seat and low backrest (LB), - base – Ø 685 mm five-star steel chromium plated (ST02-CR), - fixed armrests – made of steel chromium plated with upholstered pads (PF31-CR-xx), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH). MIRAGE-LB ST02-CR PF31-CR-xx TILT/C xx SH	
	8	13.2	500	470	565 OF 665	MIRAGE LB CF-CR - upholstered seat and low backrest (LB), - cantilever frame chromium plated (CF-CR), - fixed armrests – made of steel chromium plated with upholstered pads (PF31-CR-xx). MIRAGE-LB CF-CR PF31-CR-xx xx	
	8	19.4	505	470	\$135 - 527 \$775	NADIR TS06 - upholstered seat and high backrest, - base – Ø 715 mm five-star black polyamide (TS06), - fixed armrests – made of polyurethane (PF6), - tilt mechanism (TILT/C), - castors – Ø 50 mm for soft floors (SH).	
	8	16.8	505	470	9 OF 725	NADIR LB CF-BL - upholstered seat and low backrest (LB), - cantilever frame powder-coated in Jet black RAL 9005 colour (CF-BL) - fixed armrests – made of polyurethane (PF6). NADIR-LB CF-BL PF6 xx	
	8	19.4	510	480	0811-0600 0831-0600	NADIR ST02-CR - upholstered seat and high backrest, - base - Ø 685 mm five-star steel chromium plated (ST02-CR), - fixed armrests - made of steel chromium plated with upholstered pads (PF27-CR-xx), - tilt mechanism (TILT/C), - castors - Ø 50 mm for soft floors (SH). NADIR ST02-CR PF27-CR-xx TILT/C xx SH	
	8	16.8	510	480	38 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	NADIR LB CF-CR - upholstered seat and low backrest (LB), - cantilever frame chromium plated (CF-CR), - fixed armrests – made of steel chromium plated with upholstered pads (PF27-CR-xx). NADIR-LB CF-CR PF27-CR-xx xx	

Nova, Orion



No. of pcs per 1200 × 800 pallet (mm)	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description		
1	8	22.3	520	470	230 230 230 230 230 230 230 230 230 230	*	NOVA ST04-ALU - upholstered seat and high backrest, - base – Ø 700 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour (ST04-ALU), - fixed armrests – made of steel powder-coated in White aluminium RAL 9006 colour with upholstered pads (PF5-ALU-xx), - tilt mechanism (MPD170) - castors – Ø 50 mm for soft floors (SH). NOVA ST04-ALU PF5-ALU-xx MPD170-xx SH NOVA ST04-POL - upholstered seat and high backrest, - base – Ø 700 mm five-star polished aluminium with chrome effect (ST04-POL), - fixed armrests – made of steel chromium plated with upholstered pads (PF5-CR-xx), - tilt mechanism (MPD170), - castors – Ø 50 mm for soft floors (SH). NOVA ST04-POL PF5-CR-xx MPD170 xx SH
						-	NOVA COAT HANGER – chromium plated coat hanger (CTH)
	8	15.5	520	470	027 027 0500	38	NOVA LB CF - upholstered seat and low backrest (LB), - cantilever frame powder-coated in Jet black RAL 9005 colour (CF-BL), or powder-coated in White aluminium RAL 9006 colour (CF-ALU), - fixed armrests – made of steel powder-coated in Jet black RAL 9005 colour with upholstered pads (PF5- BL-xx), or steel powder-coated in White aluminium RAL 9006 colour with upholstered pads (PF5-AL-xx). NOVA-LB CF-xx PF5-xx xx xx NOVA LB CF-cR
							- upholstered seat and low backrest (LB), - cantilever frame chromium plated (CF-CR), - fixed armrests – made of steel chromium plated with upholstered pads (<u>PF5-CR-xx</u>). NOVA-LB CF-CR PF5-xx-xx
	8	23.3	500	490	982-452 987-452		ORION ST04-ALU - upholstered seat and high backrest, - base – Ø 700 mm five-star aluminium powder-coated in White aluminium RAL 9006 colour (ST04-ALU), - fixed armrests – made of steel powder-coated in White aluminium RAL 9006 colour with upholstered pads (PF5-ALU-xx), - tilt mechanism (MPD170) - castors – Ø 50 mm for soft floors (SH). ORION ST04-ALU PF5-ALU-xx MPD170 xx SH ORION ST04-POL - upholstered seat and high backrest, - base – Ø 700 mm five-star polished aluminium with chrome effect (ST04-POL), - fixed armrests – made of steel chromium plated with upholstered pads (PF5-CR-xx), - tilt mechanism (MPD170), - castors – Ø 50 mm for soft floors (SH). ORION ST04-POL PF5-CR-xx MPD170 xx SH

Orion



No. of pcs per 1200 × 800 pallet (mm)	No. of pcs per 1200 × 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description		
						~	ORION COAT HANGER – chromium plated coat hanger (CTH)
	8	17.9	2.9 500	490	55 565		ORION LB CF - upholstered seat and low backrest (LB), - cantilever frame powder-coated in Jet black RAL 9005 colour (CF-BL), or powder-coated in White aluminium RAL 9006 colour (CF-ALU), - fixed armrests – made of steel powder-coated in Jet black RAL 9005 colour with upholstered pads (PF5- BL-xx), or steel powder-coated in White aluminium RAL 9006 colour with upholstered pads (PF5-AL-xx). ORION-LB CF-xx PF5-xx-xx
							ORION LB CF-CR - upholstered seat and low backrest (LB), - cantilever frame chromium plated (CF-CR), - fixed armrests – made of steel chromium plated with upholstered pads (PF5-CR-xx). ORION-LB CF-CR PF5-CR-xx xx