



orte OTW 4L AA H W

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OTW 4L AA H W / Technical data

● Standard ○ Option

Base

Legs: solid oak wood - natural color (O1) + powder painted metal construction (colors according to the Bejot sampler book) ●

Construction: solid ash wood¹ - natural color (J1) + powder painted metal construction (colors according to the Bejot sampler book) ○

Legs coloring according to Bejot sampler book (O2, O3, O4) ○

Table top

Laminated board (18mm thick) ●

HPL (10mm thick) ○

Finger joint solid oak wood (27mm thick) ○



OTW 4L AA H W / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

H: 300	1 szt.
W: 1420	St.
L: 730	pc.

 kg
netto 32
brutto 36

OT W 4L AA H



orte OT 4L AH

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 4L AH / Technical data

● Standard ○ Option

Base	CODE
Powder painted (colors according to the Bejot pattern book)	●
Chrome-nickel steel (acid-resistant) AISI 304 18 / 10CrNi-high resistance to detergents	B5KW ○
Table top	
Laminated board (18mm thick)	●
HPL (10mm thick)	○
Finger joint solid oak wood (27mm thick)	○



OT 4L AH / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

H: 300	1 szt.
W: 1420	St.
L: 730	pc.

 kg
netto 32
brutto 36

OT 4L AH



orte OT 4L

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 4L / Technical data

● Standard

○ Option

Base

Powder painted (colors according to the Bejot sampler book)	●
Chromium-nickel steel (acid-resistant) AISI 304 18/ 10CrNi - high resistance to detergents	B5KW ○

Table top

Laminated board (18mm thick)	●
HPL (10mm thick)	○
Finger joint solid oak wood (27mm thick)	○

Additional equipment

Table connectors (prevents overlapping table tops).	LRS2 ○
---	---------------


OT 4L / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**





orte OT 2Q

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 2Q / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot sampler book)	●
Chromium-nickel steel (acid-resistant) AISI 304 18/ 10CrNi - high resistance to detergents	B5KW ○

Table top

Laminated board (18mm thick)	●
HPL (10mm thick)	○
Finger joint solid oak wood (27mm thick)	○

Additional equipment

Table connectors (prevents overlapping table tops).	LRS2 ○
---	---------------


OT 2Q / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**





orte OT 4L A

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 4L A / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot sampler book)	●
Chromium-nickel steel (acid-resistant) AISI 304 18/ 10CrNi - high resistance to detergents	B5KW ○

Table top

Laminated board (18mm thick)	●
HPL (10mm thick)	○
Finger joint solid oak wood (27mm thick)	○

Additional equipment

Table connectors (prevents overlapping table tops).	LRS1 ○
---	---------------

For those tables that are to be put together it is necessary to use connectors for a specific type of table.
The connectors prevent the curling of the tops that are put together.
Extended concepts of tables settings require a drawing from the customer.


OT 4L A / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



OT 4L A

Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

1400	1600	
H: 160	H: 160	1 szt.
W: 1500	W: 1600	St.
L: 820	L: 820	pc.



netto	28	31
brutto	34	35



orte OTW 4AA

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OTW 4AA / Technical data

● Standard ○ Option

Base

Legs: solid oak wood - natural color (O1) + powder painted metal construction (colors according to the Bejot sampler book) ●

Construction: solid ash wood¹ - natural color (J1) + powder painted metal construction (colors according to the Bejot sampler book) ○

Legs coloring according to Bejot sampler book (O2, O3, O4) ○

Table top

Laminated board (18mm thick) ●

HPL (10mm thick) ○

Finger joint solid oak wood (27mm thick) ○

Additional equipment

Table connectors (prevents overlapping table tops). LRS1 ○


OTW 4AA / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



OTW 4L AA

Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

1400	1600	
H: 300	H: 300	1 szt.
W: 870	W: 870	St.
L: 1460	L: 1660	pc.
netto 25	29	
brutto 39	34	



orte OTW 4L A

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OTW 4L A / Technical data

● Standard ○ Option

Base

Legs: solid oak wood - natural color (O1) + powder painted metal construction (colors according to the Bejot sampler book) ●

Construction: solid ash wood¹ - natural color (J1) + powder painted metal construction (colors according to the Bejot sampler book) ○

Legs coloring according to Bejot sampler book (O2, O3, O4) ○

Table top

Laminated board (18mm thick) ●

HPL (10mm thick) ○

Finger joint solid oak wood (27mm thick) ○

Additional equipment

Table connectors (prevents overlapping table tops). LRS1 ○


OTW 4L A / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



OT 4L A

Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

1400	1600	
H: 160	H: 160	1 szt.
W: 1500	W: 1600	St.
L: 820	L: 820	pc.



netto	28	31
brutto	34	35

Sstraight corners (recommended when joining tables)

S ○



orte OT CM

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT CM / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot sampler book) ●

Additional equipment

Table connectors - 1 set (prevents overlapping table tops) LRS1 ○

Table top

Laminated board (18mm thick) ●


OT CM / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



Sstraight corners (recommended when joining tables)

S ○



orte OT CD

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT CD / Technical data

● Standard ○ Option

Base

Powder painted (colors according to the Bejot sampler book) ●

Additional equipment

Table connectors - 1 set (prevents overlapping table tops) LRS1 ○

Table top

Laminated board (18mm thick) ●


OT CD / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**





orte OT 2L T

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 2L T / Technical data

Standard Option

Base

Powder painted (colors according to the Bejot pattern book)		
Chromium-nickel steel (acid-resistant) AISI 304 18/ 10CrNi - high resistance to detergents (black crossbar under the desktop)	B5KW	

Additional equipment

Castors - 2 castors with brakes + 2 castors without brakes		
Table connectors - 1 set (prevents overlapping table tops)	LRS1	

Table top

Laminated board (18mm thick)		
------------------------------	--	--

Additional equipment

CODE

Castors - 2 castors with brakes + 2 castors without brakes		
--	--	--


OT 2L T / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**





orte OT 2L Y

Functionality & lightness

The Orte is by definition an economic form that hides inside functionality and versatility. The lightness of the structure goes hand in hand with the strength confirmed by the certificate.

Great possibilities

A simplicity of the design and the wide possibilities of arranging chairs and tables make the Orte perfect for everyday use in the office, home, restaurant, hall, canteen and public space.

OT 2L Y / Technical data

☒ Standard

☐ Option

Base

Powder painted (colors according to the Bejot pattern book)		<input checked="" type="radio"/>
Chromium-nickel steel (acid-resistant) AISI 304 18/ 10CrNi - high resistance to detergents (black crossbar under the desktop)	B5KW	<input type="radio"/>

Additional equipment

Castors - 2 castors with brakes + 2 castors without brakes		<input checked="" type="radio"/>
Table connectors - 1 set (prevents overlapping table tops)	LRS1	<input type="radio"/>

Table top

Laminated board (18mm thick)		<input checked="" type="radio"/>
------------------------------	--	----------------------------------

Additional equipment	CODE	
Castors - 2 castors with brakes + 2 castors without brakes		<input checked="" type="radio"/>
Tables connector	LRS1	<input type="radio"/>


OT 2L Y / Dimensions

Dimensions are approximate and may vary depending on the selected product configuration. The requirements of the standard are always met.

height: overall dimensions **H**

width: overall dimensions **W**

epth: overall dimensions **L**



OT 2LY

Wagi dla stolików z blatem z płyty laminowanej.
Weights for tables with laminated board top.
Gewichte für Tische mit Laminatplatte.
Poids pour les tables avec plateau en stratifié.

H: 150	1 szt.
W: 1420	St.
L: 730	pc.



netto 33
brutto 38

Omega Ekspres SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv