



Enjoy
I-line
Jupiter
Neo
Offix
Pegaz
Prestige
Punkt
Saturn
Smart
Webst@r

No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description
6		25.8	520	425–480	 ENJOY – seat and backrest in black mesh (KM11/BLACK), – base – Ø 650 mm five-star polished aluminium with chrome effect, – 3-D armrests – armrest structure made of steel and black plastic with polyurethane pads (R), – Synchron mechanism, – castors – Ø 65 mm for soft floors (ESH). ENJOY-R KM11/BLACK ESH
6		26.3	520	425–480	 ENJOY HRMA – seat and backrest in black mesh (KM11/BLACK), – headrest – adjustable, black mesh (HRMA), – base – Ø 650 mm five-star polished aluminium with chrome effect, – 3-D armrests – armrest structure made of steel and black plastic with polyurethane pads (R), – Synchron mechanism, – castors – Ø 65 mm for soft floors (ESH). ENJOY-R-HRMA KM11/BLACK ESH
10		11.8	480	410	 I-LINE TS25 RTS – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – no armrests (RTS), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). I-LINE TS25 RTS ERGON-2L xx SH
10		12.9	480	410	 I-LINE TS25 GTP45 – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – fixed armrests – made of black plastic (GTP45), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). I-LINE TS25 GTP45 ERGON-2L xx SH
10		13.4	480	410	 I-LINE HR TS25 GTP45 – upholstered seat and backrest, – headrest – fixed, plastic (HR), – base – Ø 710 mm five-star black polyamide (TS25), – fixed armrests – made of black plastic (GTP45), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). I-LINE-HR TS25 GTP45 ERGON-2L xx SH
10		12.9	480	410	 I-LINE TS25 R19T – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – height adjustable armrests with polypropylene pads (R19T), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). I-LINE TS25 R19T ERGON-2L xx SH
10		13.4	480	410	 I-LINE HR TS25 R19T – upholstered seat and backrest, – headrest – fixed, plastic (HR), – base – Ø 710 mm five-star black polyamide (TS25), – height adjustable armrests with polypropylene pads (R19T), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). I-LINE-HR TS25 R19T ERGON-2L xx SH







Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.

Ø 65 mm castors for soft floors (ESH) can be replaced by castors for hard floors (ESHH) without surcharge.





Jupiter, Neo

No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description
20		9.5	455	450–480	  JUPITER TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (PST01-CPT), – castors – Ø 50 mm for soft floors (SH). JUPITER-ERGO TS02 RTS PST01-CPT xx SH
20		12.4	455	450–480	  JUPITER TS02 GTP6 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests – made of black plastic (GTP6), – permanent contact mechanism (PST01-CPT), – castors – Ø 50 mm for soft floors (SH). JUPITER-ERGO TS02 GTP6 PST01-CPT xx SH
9		15.5	485	445	  NEO RTS ES – upholstered seat and backrest, – base – Ø 715 mm five-star black polyamide (TS06), – no armrests (RTS), – synchronous mechanism (ES), – castors – Ø 50 mm for soft floors (SH). NEO TS06 RTS ES xx SH
9		16.5	485	445	  NEO GTP9 ES – upholstered seat and backrest, – base – Ø 715 mm five-star black polyamide (TS06), – fixed armrests – armrest structure made of black plastic (GTP9-BL), – synchronous mechanism (ES), – castors – Ø 50 mm for soft floors (SH). NEO TS06 GTP9-BL ES xx SH
9		15.5	485	445	  NEO RTS MPD165 – upholstered seat and backrest, – base – Ø 715 mm five-star black polyamide (TS06), – no armrests (RTS), – synchronous mechanism (MPD165), – castors – Ø 50 mm for soft floors (SH). NEO TS06 RTS MPD165 xx SH
9		16.5	485	445	  NEO GTP9 MPD165 – upholstered seat and backrest, – base – Ø 715 mm five-star black polyamide (TS06), – fixed armrests – armrest structure made of black plastic (GTP9-BL), – synchronous mechanism (MPD165), – castors – Ø 50 mm for soft floors (SH). NEO TS06 GTP9-BL MPD165 xx SH
9		18.7	485	445	  NEO HRUA GTP9 MPD165 – upholstered seat and backrest, – headrest – upholstered, with tilt adjustment (HRUA), – base – Ø 715 mm five-star black polyamide (TS06), – fixed armrests – armrest structure made of black plastic (GTP9-BL), – synchronous mechanism (MPD165), – castors – Ø 50 mm for soft floors (SH). NEO-HRUA TS06 GTP9-BL MPD165 xx SH

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.





No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description
9		14.1	490	460	  OFFIX TS25 RTS – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – no armrest (RTS) – asynchronous mechanism (SYNCROIBRA), – castors – Ø 50 mm for soft floors (SH). OFFIX TS25 RTS SYNCROIBRA xx SH
9		15.9	490	415	  OFFIX TS25 GTP41 – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – fixed armrests – made of black plastic (GTP41), – asynchronous mechanism (SYNCROIBRA), – castors – Ø 50 mm for soft floors (SH). OFFIX TS25 GTP41 SYNCROIBRA xx SH
9		15.9	490	415	  OFFIX TS25 R15G – upholstered seat and backrest, – base – Ø 710 mm five-star black polyamide (TS25), – 2-D armrests, armrest structure made of steel chromium plated and black plastic with soft polyurethane pads (R15G-3-CR), – asynchronous mechanism (SYNCROIBRA), – castors – Ø 50 mm for soft floors (SH). OFFIX TS25 R15G-3-CR SYNCROIBRA xx SH
		17.9	490	410	  OFFIX PLUS TS25 FS – upholstered seat and backrest with stitchings, – base – Ø 710 mm five-star black polyamide (TS25), – 3-D armrests with soft polyurethane pads (R41), – synchronous mechanism (FS), – castors – Ø 50 mm for soft floors (SH). OFFIX-PLUS TS25 R41 FS xx SH
		18.7	490	410–460	  OFFIX PLUS TS25 FST – upholstered seat and backrest with stitchings, – base – Ø 710 mm five-star black polyamide (TS25), – 3-D armrests with soft polyurethane pads (R41), – synchronous mechanism with seat depth adjustment (FST), – castors – Ø 50 mm for soft floors (SH). OFFIX-PLUS TS25 R41 FST xx SH
20		10.5	460	435–450	  PEGAZ TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). PEGAZ-ERGO TS02 RTS PST01-CPW xx SH
20		11.2	460	435–450	  PEGAZ TS02 GTP2 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests – made of black plastic (GTP2), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH) PEGAZ-ERGO TS02 GTP2 PST01-CPW xx SH

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.







Prestige, Punkt, Saturn

No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description	
20		11.9	460	365–405	 	PRESTIGE TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star steel with polypropylene caps powder-coated in Jet black RAL 9005 colour (TS02) – no armrests (RTS), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). PRESTIGE-PROFIL TS02 RTS PST01-CPW xx SH
20		12.3	460	365–405	 	PRESTIGE TS02 GTP4 – upholstered seat and backrest, – base – Ø 645 mm five-star steel with polypropylene caps powder-coated in Jet black RAL 9005 colour (TS02), – fixed armrests – made of black plastic (GTP4), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). PRESTIGE-PROFIL TS02 GTP4 PST01-CPW xx SH
12		11.5	460	350	 	PUNKT TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). PUNKT-ERGO TS02 RTS ERGON-2L xx SH
12		11.5	460	350	 	PUNKT TS02 GTP47 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests – made of black plastic (GTP47), – permanent contact mechanism (ERGON-2L), – castors – Ø 50 mm for soft floors (SH). PUNKT-ERGO TS02 GTP47 ERGON-2L xx SH
20		9.5	460	405–440	 	SATURN TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (PST01-CPT), – castors – Ø 50 mm for soft floors (SH). SATURN-ERGO TS02 RTS PST01-CPT xx SH
20		10.7	460	415–460	 	SATURN TS02 GTP6 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests – made of black plastic (GTP6), – permanent contact mechanism (PST01-CPT), – castors – Ø 50 mm for soft floors (SH). SATURN-ERGO TS02 GTP6 PST01-CPT xx SH

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.


No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description	
20		10.5	460	425–465	  	SMART TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). SMART TS02 RTS PST01-CPW xx SH
20		11.5	460	425–465	  	SMART TS02 GTP27 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests made of black plastic (GTP27), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). SMART TS02 GTP27 PST01-CPW xx SH
20		10.5	460	425–465	  	SMART WHITE TS02-K32 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star white polyamide (TS02-K32), – no armrests (RTS), – permanent contact mechanism in white colour (PST01-W-CPW), – castors – Ø 50 mm for soft floors in white colour (SH-W). SMART-WHITE TS02-K32 RTS PST01-W-CPW xx SH-W
20		11.5	460	425–465	  	SMART WHITE TS02-K32 GTP27 – upholstered seat and backrest, – base – Ø 645 mm five-star white polyamide (TS02-K32), – fixed armrests – made of white plastic (GTP27), – permanent contact mechanism in white colour (PST01-W-CPW), – castors – Ø 50 mm for soft floors in white colour (SH-W). SMART-WHITE TS02-K32 GTP27 PST01-W-CPW xx SH-W
pallet 1200x800: 20		10.5	460	425–465	  	SMART RB-BL TS02 RTS – upholstered seat and backrest, – ring base – made of steel powder-coated in Jet black RAL 9005 colour (RB-BL), – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – glides for soft floors (GB). SMART-RB-BL TS02 RTS PST01-OW xx GB
pallet 1200x800: 12		13.5	460	425–465	  	SMART RB-CR ST02-CR GTP27 – upholstered seat and backrest, – ring base – made of steel chromium plated (RB-CR), – base – Ø 685 mm five-star steel chromium plated (ST02-CR), – fixed armrests made of black plastic (GTP27), – permanent contact mechanism (PST01-CPW), – glides for soft floors (GB). SMART-RB-CR ST02-CR GTP27 PST01-CPW xx GB
14	20	10.5	460	425–465	  	SMART ST01-CR RTS ST-01 – upholstered seat and backrest, – base – Ø 655 mm five-star steel chromium plated (ST01-CR), – no armrests (RTS), – permanent contact mechanism (PST01-CPW), – castors – Ø 50 mm for soft floors (SH). SMART ST01-CR RTS PST01-CPW xx SH

* Dimensions measured under load in accordance with the EN standard.

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.

No. of pcs per 1200 x 800 pallet (mm)	No. of pcs per 1200 x 1000 pallet (mm)	Net weight (kg)	Seat of chair – width (mm)	Seat of chair – depth (mm)	Model/Description	
20		10.8	470	425–465		WEBST@R TS02 RTS – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – no armrests (RTS), – permanent contact mechanism (PST01-CPA), – castors – Ø 50 mm for soft floors (SH). WEBST@R-PROFIL TS02 RTS PST01-CPA xx SH
20		11.5	470	425–465		WEBST@R GTP2 – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – fixed armrests – made of black plastic (GTP2), – permanent contact mechanism (PST01-CPA), – castors – Ø 50 mm for soft floors (SH). WEBST@R-PROFIL TS02 GTP2 PST01-CPA xx SH
20		12	470	425–465		WEBST@R TS02 R1E – upholstered seat and backrest, – base – Ø 645 mm five-star black polyamide (TS02), – height adjustable armrests – made of black plastic with polyurethane pads (R1E), – permanent contact mechanism (PST01-CPA), – castors – Ø 50 mm for soft floors (SH). WEBST@R-PROFIL TS02 R1E PST01-CPA xx SH

Apart from the product number/code, please specify options, upholstery and other finishes to complete an order.

xx – please specify upholstery or other finish colour code – see finishes.

Ø 50 mm castors for soft floors (SH) can be replaced by castors for hard floors (SHH) without surcharge.

Omega Ekspress SIA

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

www.city-office.lv

info@city-office.lv