
# Desks



## eModel 2.0 desk with rectangular table top and T-legs with electric height adjustment

EMODEL 2.0 DESK M RC

- Fixed or sliding rectangular table top, thickness 25 mm or 19 mm
- Three-segment T-legs with electric height adjustment
- Anti-collision function as standard

Basic price for depth 700 mm

| W•••• | Width (mm) | 1200 | 1400 | 1600 | 1800 | 2000 |
|---|---|---|---|---|---|---|
| D700 | Depth (mm) | 700 | | | | |
| | | Basic price (Euro) according to table top finishes | | | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | **655** | **664** | **674** | **683** | – |
| | Fenix NTM®, 25 mm table top thickness | **960** | **1 021** | **1 082** | **1 142** | |

Basic price for depth 800 mm

| W•••• | Width (mm) | 1200 | 1400 | 1600 | 1800 | 2000 |
|---|---|---|---|---|---|---|
| D800 | Depth (mm) | 800 | | | | |
| | | Basic price (Euro) according to table top finishes | | | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | **664** | **674** | **683** | **692** | **702** |
| | Fenix NTM®, 25 mm table top thickness | **1 014** | **1 082** | **1 149** | **1 217** | **1 285** |

Basic price for depth 900 mm

| W•••• | Width (mm) | 1200 | 1400 | 1600 | 1800 | 2000 |
|---|---|---|---|---|---|---|
| D900 | Depth (mm) | 900 | | | | |
| | | Basic price (Euro) according to table top finishes | | | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | – | **683** | **692** | **702** | **712** |
| | Fenix NTM®, 25 mm table top thickness | | **1 142** | **1 217** | **1 292** | **1 368** |

Basic price for depth 1000 mm

| W•••• | Width (mm) | 1200 | 1400 | 1600 | 1800 | 2000 |
|---|---|---|---|---|---|---|
| D1000 | Depth (mm) | 1000 | | | | |
| | | Basic price (Euro) according to table top finishes | | | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | – | **692** | **702** | **712** | **721** |
| | Fenix NTM®, 25 mm table top thickness | | **1 203** | **1 285** | **1 368** | **1 449** |

* See matrix of table top finishes combinations

To complete product configuration select options on next pages →

**Omega Ekspress SIA**
LV40003402577
Biroja adrese: Lāčplēša 125, LV-1003, Rīga
**www.city-office.lv**
info@city-office.lv

| | | | | | 1200 | 1400 | 1600 | 1800 | 2000 |
|---|---|---|---|---|---|---|---|---|---|
| | D04a | Table top finish | | | | | | | |
| ①/2-② | | Melamine faced chipboard (MFC)* | | 2 mm edge in glue technology* | ● | | | | |
| ①/3-② | | | | 3 mm edge in glue technology* | +6 | | | | |
| ①/2L-② | | | | 2 mm laser edge* | +29 | | | | |
| ①/3L-② | | | | 3 mm laser edge* | +32 | | | | |
| ① | | Fenix NTM®, 25 mm table top thickness | | 1 mm laser (matching table top colour) | ○ | | | | |
| | D04b | Table top thickness | | | | | | | |
| TT-25 | | 25 mm* | | | ● | | | | |
| TT-19 | | 19 mm (for melamine faced chipboard MFC, not available with 3 mm edge)* | | | ○ | | | | |
| | D06 | Table top type | | | | | | | |
| FD | | Fixed table top | | | ● | | | | |
| SD | | Sliding table top (not available for 700 mm desk depth) | | | +48 | | | | |
| | D07 | Media | | | | | | | |
| | | No grommets / media ports | | | ● | | | | |
| ●/●/● | | Plastic square grommet with round outlet Ø 80 (QC) | | | ○ | | | | |
| | | Metal rectangular cable outlet with brush (QE) (not available for sliding table top, thickness 19 mm) | | | +45 / piece | | | | |
| | | Media port Power Frame 3M (only for fixed table top) | | | See media ports configuration matrix | | | | |
| | | Media port Powerdot 1M (only for fixed table top) | | | | | | | |
| | D08a | Control panel | | | | | | | |
| HS-EM-UD | | Up & down button | | | ● | | | | |
| HS-EM-4M | | Display and memory function (4 positions) | | | +37 | | | | |
| | D08b | Plug standard | | | | | | | |
| ST-EU | | European | EU | | ● | | | | |
| ST-GB | | British | GB | | ○ | | | | |
| ST-CH | | Swiss | CH | | | | | | |
| | D09b | Frame type | | | | | | | |
| FT-FF | | Fixed frame | | | ● | | | | |
| | D14 | Base finish | | | | | | | |
| BC-WH | | Powder-coated steel | Pure white | RAL 9010 | ● | | | | |
| BC-WA | | | White aluminium | RAL 9006 | ○ | | | | |
| BC-BL | | | Jet black | RAL 9005 | | | | | |
| | D15 | Base foot | | | | | | | |
| BX-EM1 | | Foot EM1 | Rectangular ends, with plastic caps | | ● | | | | |
| BX-EM2 | | Foot EM2 | Rounded ends, without plastic caps | | ○ | | | | |
| BX-EM3 | | Foot EM3 | Tapered and rounded end, without plastic caps | | | | | | |
| | D17 | Castors / Glides | | | | | | | |
| GLL | | Levelling glides | | | ● | | | | |
| | D18 | Horizontal cable management | | | | | | | |
| | | No dedicated horizontal wire trunking (ordered separately - see cable management accessories) | | | ● | | | | |
| HC | | Dedicated horizontal wire trunking (only for sliding table top) | Powder-coated steel matching base colour | | +17 | +23 | +28 | +34 | +40 |
| | | Assembly | | | | | | | |
| AS-UA | | Unassembled | | | ● | | | | |
| AS-PA | | Preassembled (assembled, folded legs) | | | ○ | | | | |

| Sample order | EMODEL 2.0 DESK M RC (W1200 D700 NV/2-NB TT-25 FD HS-EM-UD ST-EU FT-FF BC-WH BX-EM1 GLL AS-PA) |
|---|---|


① – Please specify MFC colour code or Fenix NTM – see finishes

② – Please specify table top edge finish – see matrix of table top finishes combinations

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

# Workbench



## eModel 2.0 workbench with rectangular table tops and H-legs with electric height adjustment

EMODEL 2.0 WORKBENCH M RC

- Fixed or sliding rectangular table tops, thickness 25 mm or 19 mm
- Three-segment H -legs with electric height adjustment
- Anti-collision function as standard

Basic price for depth 2 × 700 mm

| W•••• | Width (mm) | 1400 | 1600 | 1800 |
|---|---|---|---|---|
| D2X700 | Depth (mm) | 1490 (2 × 700) | | |
| | | Basic price (Euro) according to table top finishes | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | **1 289** | **1 308** | **1 327** |
| | Fenix NTM®, 25 mm table top thickness | **1 981** | **2 097** | **2 215** |

Basic price for depth 2 × 800 mm

| W•••• | Width (mm) | 1400 | 1600 | 1800 |
|---|---|---|---|---|
| D2X800 | Depth (mm) | 1690 (2 × 800) | | |
| | | Basic price (Euro) according to table top finishes | | |
| | Melamine faced chipboard (MFC), 19 or 25 mm table top thickness* | **1 308** | **1 327** | **1 347** |
| | Fenix NTM®, 25 mm table top thickness | **2 097** | **2 229** | **2 360** |

* See matrix of table top finishes combinations

To complete product configuration select options on next pages →

**Omega Ekspress SIA**
LV40003402577
Biroja adrese: Lāčplēša 125, LV-1003, Rīga
**www.city-office.lv**
info@city-office.lv

# Workbench

| | | | | 1400 | 1600 | 1800 |
|---|---|---|---|---|---|---|
| | D04a | Table top finish | | | | |
| ①/2-② | Melamine faced chipboard (MFC)* | | 2 mm edge in glue technology* | ● | | |
| ①/3-② | | | 3 mm edge in glue technology* | +12 | | |
| ①/2L-② | | | 2 mm laser edge* | +58 | | |
| ①/3L-② | | | 3 mm laser edge* | +64 | | |
| ① | Fenix NTM®, 25 mm table top thickness | | 1 mm laser (matching table top colour) | ○ | | |
| | D04b | Table top thickness | | | | |
| TT-25 | 25 mm* | | | ● | | |
| TT-19 | 19 mm (not available with 3 mm edge)* | | | ○ | | |
| | D06 | Table top type | | | | |
| FD | Fixed table top | | | ● | | |
| SD | Sliding table top (not available for 700 mm desk depth) | | | +96 | | |
| | D07 | Media | | | | |
| | No cut outs for: grommets / media ports | | | ● | | |
| 2X●/●/● | Plastic square grommet with round outlet Ø 80 (QC) | | | ○ | | |
| | Metal rectangular cable outlet with brush (QE) (not available for sliding table top, thickness 19 mm) | | | +45 / piece | | |
| | Media port Power Frame 3M (only for fixed table top) | | | See media ports configuration matrix | | |
| | Media port Powerdot 1M (only for fixed table top) | | | | | |
| | D08a | Control panel | | | | |
| HS-EM-UD | 2 × Up & down button | | | ● | | |
| HS-EM-4M | 2 × Display and memory function (4 positions) | | | +74 | | |
| | D08b | Plug standard | | | | |
| ST-EU | European | EU | | ● | | |
| ST-GB | British | GB | | ○ | | |
| ST-CH | Swiss | CH | | | | |
| | D09b | Frame type | | | | |
| FT-FF | Fixed frame | | | ● | | |
| | D14 | Base finish | | | | |
| BC-WH | Powder-coated steel | Pure white | RAL 9010 | ● | | |
| BC-WA | | White aluminium | RAL 9006 | ○ | | |
| BC-BL | | Jet black | RAL 9005 | | | |
| | D18 | Horizontal cable management | | | | |
| | No dedicated horizontal wire trunking (ordered separately - see cable management accessories) | | | ● | | |
| HC | Dedicated horizontal wire trunking (only for sliding table top) | Powder-coated steel matching base colour | | +56 | +68 | +80 |
| | | Assembly | | | | |
| AS-UA | Unassembled | | | ● | | |
| AS-PA | Preassembled (assembled, folded legs) | | | ○ | | |

| | |
|---|---|
| Sample order | EMODEL 2.0 WORKBENCH M RC (W1400 D2X700 NV/2-NB TT-25 FD HS-EM-UD ST-EU FT-FF BC-WH AS-PA) |

* See matrix of table top finishes combinations

① – Please specify MFC colour code or Fenix NTM – see finishes

② – Please specify table top edge finish – see matrix of table top finishes combinations

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

**Omega Ekspress SIA**
LV40003402577
Biroja adrese: Lāčplēša 125, LV-1003, Rīga
**www.city-office.lv**
info@city-office.lv