

Ogi A

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³


28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³

Ogi desk worktops




Dimensions of radial worktops (mm)




Frame

Ogi A: powder coated steel, profile 60x30 mm






Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour

Accessories




- 1. Horizontal cable tray S69 - powder coated, colour: 09 - aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) - powder coated metal, colour: M009 - aluminum semi-matt
- 3. Horizontal cable tray E64 - powder coated, colour: M009 - aluminium semi-matt
- 4. Cable tray for bench desks (SG220, SG260) - steel wire Ø4 mm, powder coated, colour: 09 - aluminum



Sliding top


- 1. Sliding top - shifting range 141 mm




Power strip - for series connection

- 1. **PWS1** - set for 1 workstation - power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** - set for 2 workstation - power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** - set for 3 workstation - power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1



2



3



Desks *



BAG016
1000 / 600 / 740
20 kg



BAG026
1200 / 600 / 740
23 kg



BAG036
1400 / 600 / 740
25.2 kg



BAG046
1600 / 600 / 740
29.1 kg



BAG017
1000 / 700 / 740
22 kg



BAG027
1200 / 700 / 740
25.1 kg



BAG037
1400 / 700 / 740
28.2 kg



BAG047
1600 / 700 / 740
30.6 kg



BAG028
1200 / 800 / 740
29.3 kg




BAG038
1400 / 800 / 740
31.5 kg




BAG048
1600 / 800 / 740
34.1 kg


Radial desks *



BAG10
1600 / 1200 / 740
40 kg




BAG11
1600 / 1200 / 740
41.4 kg




BAG12
2343 / 2029 / 740
89.1 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *



BAG0214
1600 / 1210 / 740
51 kg




BAG0216
1600 / 1410 / 740
57.2 kg




BAG0218
1600 / 1610 / 740
64.2 kg


Elements for desks pairing *



BAG0414
1600 / 1210 / 740
45 kg



BAG0416
1600 / 1410 / 740
51.2 kg



BAG0418
1600 / 1610 / 740
58.2 kg


Power strip



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height

Worktop



26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *



64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi B

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is higly aware of the environment.

Being located in the forest region with lake by itis side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



Warranty:

.mdd products – **5 years**.
Electrical components and
fabric – **2 years**.

Certificate – MFC:



Assembly:

product delivered in
separate elements

Packing:

cardboard, perforated
plastic mesh wrap


Compliant with standards:

PN-EN 527-2:2017-02

Boards density:

12 mm – 690 – 750 kg/m³
18 mm – 650 – 690 kg/m³
28 mm – 610 – 630 kg/m³
36 mm – 610 – 630 kg/m³

Material composition *:



* according to the EPD document

Recyclability **

Recycling: 37% – Downcycling: 63%

Recycled content


63%

Co2 carbon footprint

67,9 kg

** average values for a representative of the group;
values may vary for other products

Ogi desk worktops



1. Worktop – MFC 28 mm, ABS edge

OPTIONS WITH EXTRA CHARGE:

2. Grommet – 2 pcs, Ø 80 mm

3. Mediabox M04H – 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V

4. Mediabox M04 – 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V


5. Mediabox M07 – 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)

6. Top access M05

7. Cable way – the width of the opening is proportional to the width of the worktop


8. Mediabox M07 + cable grommets

9. Cable way + cable grommets – desks, bench desks



Frame


Ogi B – natural wood – ash, coated with transparent varnish, profile 40 × 56 mm, spacer 10 mm between top and frame



Attention – leveling – 10 mm range


Attention – cable tray under the worktop is always in M009 – aluminium semi-matt colour.

Accessories



- 1. Horizontal cable tray S69 – powder coated
- 2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal
- 3. Horizontal cable tray E64 – powder coated
- 4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated

Sliding top



- 1. Sliding top – shifting range 141 mm
- 2. Tabletop sliding lock

Note – M04, M04H, and M07 mediaboxes cannot be installed.


Desks *




BOB10
1000 / 600 / 740
23.3 kg



BOB12
1200 / 600 / 740
25.3 kg




BOB14
1400 / 600 / 740
45.15 kg




BOB16
1600 / 600 / 740
31.5 kg




BOB19
1000 / 700 / 740
24.8 kg




BOB22
1200 / 700 / 740
31 kg




BOB24
1400 / 700 / 740
57.6 kg




BOB26
1600 / 700 / 740
39.5 kg




BOB02
1200 / 800 / 740
34 kg




BOB03
1400 / 800 / 740
36.5 kg



BOB04
1600 / 800 / 740
41.55 kg




BOB05
1800 / 800 / 740
45.55 kg




BOB06
2000 / 800 / 740
45.59 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *




BOB50
1000 / 1210 / 740
41.6 kg




BOB52
1200 / 1210 / 740
45.6 kg




BOB54
1400 / 1210 / 740
56 kg




BOB56
1600 / 1210 / 740
58 kg




BOB48
1000 / 1410 / 740
45.6 kg




BOB42
1200 / 1410 / 740
58 kg




BOB44
1400 / 1410 / 740
61.2 kg




BOB46
1600 / 1410 / 740
75 kg




BOB32
1200 / 1610 / 740
63 kg



BOB33
1400 / 1610 / 740
68 kg



BOB34
1600 / 1610 / 740
78.1 kg




BOB35
1800 / 1610 / 740
86.1 kg


Desk extensions *



PLB01
600 / 800 / 740
16.1 kg



PLB02
600 / 100 / 740
18.1 kg



PLB03
600 / 1200 / 740
20.6 kg

* dimensions expressed in millimeters: width x depth x height

Worktop, top, base, body, front




26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *




64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Base



Natural ash **

Grommets



Grey



Black



Beige



White pastel

Accessories



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M115 Black
semi-matt
RAL9005

* body - II group

** OPTION WITH EXTRA CHARGE - worktop edge, colour: ash natural

*** the colour of desk legs may differ depending on natural wood ring pattern

Ogi M technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Compliant with standards:

PN-EN 527-2:2017-02

Boards density:

12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³

28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³


Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Ogi desk worktops



1. Worktop - MFC 28 mm, ABS edge

OPTIONS WITH EXTRA CHARGE:

2. Grommet - 2 pcs, Ø 80 mm

3. Mediabox M04H - 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V, mediabox colour is matched to the colour of the frame


4. Mediabox M04 - 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V, mediabox colour is matched to the colour of the frame

5. Mediabox M07 - 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (PK80)

6. Top access M05 - top access colour is matched to the colour of the frame


7. Cable way - the width of the opening is proportional to the width of the worktop

8. Mediabox cut - out - mediabox has to be selected separately




Frame

Ogi M: metal, powder coated, profile 40 × 40 mm, spacer 10 mm between top and frame




Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour

Desk with managerial storage




1. **Worktop** - MFC 28 mm, ABS edge
2. **Top** - MFC 28 mm, ABS edge
3. **Shelf** - MFC 18 mm, protection against accidental falling-out, ABS edge
4. **Drawer** - MFC 18 mm, ABS edge, patent lock - possible to change location
5. **Base** - MFC 18 mm, ABS edge
6. **Front** - MFC 18 mm, ABS edge

Configuration examples (mm)







Configuration examples with BOX40, BOX50, BOX60



ATTENTION – only for Ogi Q, Ogi U, Ogi Y, Ogi M


Accessories



1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminium semi-matt
4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated, colour: 09 – aluminum

Sliding top


1. Sliding top – shifting range 141 mm




Power strip - for series connection

- 1. **PWS1** - set for 1 workstation - power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** - set for 2 workstation - power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** - set for 3 workstation - power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1



2



3



Desks *




BOM10
1000 / 600 / 740
24.3 kg



BOM12
1200 / 600 / 740
26.3 kg



BOM14
1400 / 600 / 740
29 kg



BOM16
1600 / 600 / 740
32.5 kg



BOM19
1000 / 700 / 740
24.3 kg



BOM22
1200 / 700 / 740
32 kg



BOM24
1400 / 700 / 740
33.6 kg



BOM26
1600 / 700 / 740
37.15 kg



BOM02
1200 / 800 / 740
35 kg




BOM03
1400 / 800 / 740
37.5 kg



BOM04
1600 / 800 / 740
42.55 kg



BOM05
1800 / 800 / 740
46.55 kg




BOM06
2000 / 800 / 740
47.95 kg


www.mdd.eu

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - straight desk *




BOX10
1000 / 600 / 740
20.7 kg




BOX12
1200 / 600 / 740
22.7 kg




BOX14
1400 / 600 / 740
25.4 kg




BOX16
1600 / 600 / 740
28.9 kg




BOX30
1000 / 700 / 740
20.7 kg



BOX32
1200 / 700 / 740
28.4 kg




BOX34
1400 / 700 / 740
30 kg




BOX36
1600 / 700 / 740
33.55 kg




BOX40
500 / 800 / 740
11 kg




BOX42
1200 / 800 / 740
30.8 kg



BOX43
1400 / 800 / 740
33.3 kg




BOX44
1600 / 800 / 740
38.35 kg



BOX45
1800 / 800 / 740
42.35 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *



BOM50
1000 / 1210 / 740
42.6 kg




BOM52
1200 / 1210 / 740
46.6 kg




BOM54
1400 / 1210 / 740
52 kg




BOM56
1600 / 1210 / 740
59 kg



BOM48
1000 / 1410 / 740
43.6 kg




BOM42
1200 / 1410 / 740
59 kg




BOM44
1400 / 1410 / 740
62.2 kg




BOM46
1600 / 1410 / 740
69.3 kg




BOM32
1200 / 1610 / 740
64 kg



BOM33
1400 / 1610 / 740
69 kg




BOM34
1600 / 1610 / 740
79.1 kg




BOM35
1800 / 1610 / 740
87.1 kg

www.mdd.eu


Elements for arrangement building - bench *




BOX20
1000 / 1210 / 740
36.6 kg



BOX22
1200 / 1210 / 740
40.6 kg



BOX24
1400 / 1210 / 740
46 kg



BOX26
1600 / 1210 / 740
53 kg


* dimensions expressed in millimeters: width x depth x height

Ogi M	Date of preparation 02.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 9/12
			products


Elements for arrangement building - bench *




BOX50
1000 / 1410 / 740
24.05 kg




BOX51
1000 / 1410 / 740
38.2 kg




BOX52
1200 / 1410 / 740
53.6 kg




BOX54
1400 / 1410 / 740
56.8 kg




BOX56
1600 / 1410 / 740
63.9 kg




BOX60
1000 / 1610 / 740
28.75 kg




BOX62
1200 / 1610 / 740
58.35 kg



BOX64
1400 / 1610 / 740
63.35 kg




BOX66
1600 / 1610 / 740
73.45 kg




BOX68
1800 / 1610 / 740
81.45 kg

www.mdd.eu


Desks with managerial storage *




BOM20
1702-1600 / 1600 / 740
103.25 kg



BOM21
1902-1800 / 1600 / 740
105.65 kg



BOM40
1702-1600 / 3210 / 740
200.3 kg




BOM41
1902-1800 / 3210 / 740
208.3 kg


* dimensions expressed in millimeters: width x depth x height

Ogi M	Date of preparation 02.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 10/12
			products


Desk extensions *



POM01
600 / 800 / 740
15.65 kg



POM02
600 / 1000 / 740
16.65 kg



POM03
600 / 1200 / 740
18.65 kg


Power strip



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height

Worktop



26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *




64 Cocoa *



168 Natural oak *



169 Honey oak*




170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi N technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company.

Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³


28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³

Ogi desk worktops




Dimensions of radial worktops (mm)



Frame


Ogi N: powder coated metal, column 642x149x36 mm, foot 647x60 mm, vertical cable management, modesty panel - MFC 18 mm



Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour

Accessories


- 1. Horizontal cable tray S69 - powder coated, colour: 09 - aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) - powder coated metal, colour: M009 - aluminum semi-matt
- 3. Horizontal cable tray E64 - powder coated, colour: M009 - aluminium semi-matt




Desks



BNG02
1200 / 800 / 740
32.6 kg



BNG03
1400 / 800 / 740
36.9 kg




BNG04
1600 / 800 / 740
41.8 kg




BNG05
1800 / 800 / 740
45.2 kg


Radial desks




BNG10
1600 / 1200 / 740
45.8 kg



BNG17
1800 / 1200 / 740
52.8 kg



BNG11
1600 / 1200 / 740
45.8 kg




BNG18
1800 / 1200 / 740
52.8 kg


Worktop



Grommet



Frame, mediabox - metal



* body - II group

Ogi Q technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³

28 mm – 610 – 630 kg/m³


36 mm – 610 – 630 kg/m³

Ogi desk worktops




Frame

Ogi Q: powder coated steel, profile 60x20 mm, spacer 10 mm between top and frame



Attention – the cable tray located underneath the worktop is only available in: M009 – aluminium semi-matte colour


Desk with managerial storage




- 1. **Worktop** – MFC 28 mm, ABS edge
- 2. **Top** – MFC 28 mm, ABS edge
- 3. **Shelf** – MFC 18 mm, protection against accidental falling-out, ABS edge
- 4. **Drawer** – MFC 18 mm, ABS edge, patent lock – possible to change location
- 5. **Base** – MFC 18 mm, ABS edge
- 6. **Front** – MFC 18 mm, ABS edge

Configuration examples (mm)

www.mdd.eu







Configuration examples with BOX40, BOX50, BOX60



ATTENTION – only for Ogi Q, Ogi U, Ogi Y, Ogi M


Accessories



1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminium semi-matt
4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated, colour: 09 – aluminum

Sliding top


1. Sliding top – shifting range 141 mm




Power strip - for series connection

- 1. **PWS1** - set for 1 workstation - power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** - set for 2 workstation - power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** - set for 3 workstation - power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1




2




3




Desks *




BOQ10
1000 / 600 / 740
28.9 kg




BOQ12
1200 / 600 / 740
32.6 kg




BOQ14
1400 / 600 / 740
35.1 kg




BOQ16
1600 / 600 / 740
38.4 kg




BOQ20
1000 / 700 / 740
29.96 kg




BOQ22
1200 / 700 / 740
37.66 kg




BOQ24
1400 / 700 / 740
39.26 kg




BOQ26
1600 / 700 / 740
42.81 kg




BOQ02
1200 / 800 / 740
40.85 kg




BOQ03
1400 / 800 / 740
43.35 kg



BOQ04
1600 / 800 / 740
48.4 kg




BOQ05
1800 / 800 / 740
52.4 kg




BOQ06
2000 / 800 / 740
52.4 kg

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - straight desk *




BOX10
1000 / 600 / 740
20.7 kg




BOX12
1200 / 600 / 740
22.7 kg




BOX14
1400 / 600 / 740
25.4 kg




BOX16
1600 / 600 / 740
28.9 kg




BOX30
1000 / 700 / 740
20.7 kg



BOX32
1200 / 700 / 740
28.4 kg




BOX34
1400 / 700 / 740
30 kg




BOX36
1600 / 700 / 740
33.55 kg




BOX40
500 / 800 / 740
11 kg




BOX42
1200 / 800 / 740
30.8 kg



BOX43
1400 / 800 / 740
33.3 kg




BOX44
1600 / 800 / 740
38.35 kg




BOX45
1800 / 800 / 740
42.35 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *




BOQ50
1000 / 1210 / 740
50.6 kg




BOQ52
1200 / 1210 / 740
54.6 kg




BOQ54
1400 / 1210 / 740
60 kg




BOQ56
1600 / 1210 / 740
67 kg




BOQ40
1000 / 1410 / 740
40.72 kg




BOQ42
1200 / 1410 / 740
56.12 kg




BOQ44
1400 / 1410 / 740
59.32 kg




BOQ46
1600 / 1410 / 740
66.42 kg




BOQ32
1200 / 1610 / 740
60 kg



BOQ33
1400 / 1610 / 740
65 kg




BOQ34
1600 / 1610 / 740
75.1 kg




BOQ35
1800 / 1610 / 740
83.1 kg


Elements for arrangement building - bench *




BOX20
1000 / 1210 / 740
36.6 kg



BOX22
1200 / 1210 / 740
40.6 kg



BOX24
1400 / 1210 / 740
46 kg




BOX26
1600 / 1210 / 740
53 kg

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - bench *




BOX50
1000 / 1410 / 740
24.05 kg




BOX51
1000 / 1410 / 740
38.2 kg




BOX52
1200 / 1410 / 740
53.6 kg




BOX54
1400 / 1410 / 740
56.8 kg




BOX56
1600 / 1410 / 740
63.9 kg




BOX60
1000 / 1610 / 740
28.75 kg




BOX62
1200 / 1610 / 740
58.35 kg



BOX64
1400 / 1610 / 740
63.35 kg




BOX66
1600 / 1610 / 740
73.45 kg




BOX68
1800 / 1610 / 740
81.45 kg


Desks with managerial storage *




BOQL20
1600-1702 / 1600 / 740
104.65 kg



BOQL21
1800-1902 / 1600 / 740
108.65 kg




BOQL40
1600-1702 / 3210 / 740
206.3 kg




BOQL41
1800-1902 / 3210 / 740
214.3 kg

* dimensions expressed in millimeters: width x depth x height


Desk extenstions *



PLQ01
600 / 800 / 740
18.9 kg



PLQ02
600 / 1000 / 740
20.9 kg



PLQ03
600 / 1200 / 740
23.1 kg


Power strip



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height

Worktop



26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *




64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi Q	Date of preparation 02.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 12/12
			colours