

Ogi T

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today`s market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of managment systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is hgily aware of the environment.

Being located in the forest region with lake by itis side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.
Electrical components and fabric – **2 years**.

Certificate – MFC:



Assembly:

product delivered in
separate elements

Packing:

cardboard


Compliant with standards:

PN-EN 527-2:2017-02

Boards density:

12 mm – 690 – 750 kg/m³
18 mm – 650 – 690 kg/m³
28 mm – 610 – 630 kg/m³
36 mm – 610 – 630 kg/m³

Material composition *:



* according to the EPD document

Recyclability **

Recyclable: 42% – Downcyclable: 58%

Recycled content


36%

Co2 carbon footprint

33,55 kg

** average values for a representative of the group;
values may vary for other products

Ogi desk worktops



1. Worktop – MFC 28 mm, ABS edge

OPTIONS WITH EXTRA CHARGE:

2. Grommet – 2 pcs, Ø 80 mm

3. Mediabox M04H – 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V

4. Mediabox M04 – 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V


5. Mediabox M07 – 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (Pk80)

6. Top access M05

7. Cable way – the width of the opening is proportional to the width of the worktop

8. Mediabox M07 + cable grommets

9. Cable way + cable grommets – desks, bench desks




Frame

Ogi T: metal, powder coated, profile 60 × 60 mm:


OPTION WITH EXTRA CHARGE – Pro foot (56 €/ 2 pcs):

- aluminum powder coated
- polished aluminum (54 €/ 2 pcs)




Attention – cable tray under the worktop is always in M009 – aluminium semi-matt colour.
Attention – leveling – 10 mm range


Accessories




1



2




3




4

- 1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
- 3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminium semi-matt
- 4. Cable tray for bench desks Ogi Drive (SOD12, SOD14, SOD16, SOD18, SOD20) – powder coated, colour: M009 – aluminium semi-matt


Desks *




BOT527
1200 / 700 / 740
36.95 kg




BOT547
1400 / 700 / 740
41 kg




BOT567
1600 / 700 / 740
45.35 kg




BOT587
1800 / 700 / 740
46.85 kg




BOT607
2000 / 700 / 740
47.1 kg




BOT52
1200 / 800 / 740
40.55 kg




BOT54
1400 / 800 / 740
43.45 kg



BOT56
1600 / 800 / 740
48.3 kg



BOT58
1800 / 800 / 740
51.25 kg



BOT60
2000 / 800 / 740
55.05 kg

* dimensions expressed in millimeters: width x depth x height

Worktop



Frame - metal



Mediabox - metal



Grommets



Foot Pro



* body - II group

** additional charge option: one-time charge for the colour (200 €) + 10% of the product value

*** OPTION WITH EXTRA CHARGE

Ogi T	Date of preparation 03.11.2022	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 6/6
			colours

Ogi U

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³

28 mm – 610 – 630 kg/m³


36 mm – 610 – 630 kg/m³

Ogi desk worktops




1. **Worktop** – MFC 28 mm, ABS edge
- OPTIONS WITH EXTRA CHARGE:**
2. **Grommet** – 2 pcs, Ø 80 mm
3. **Mediabox M04H** – 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V, mediabox colour is matched to the colour of the frame
4. **Mediabox M04** – 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V, mediabox colour is matched to the colour of the frame
5. **Mediabox M07** – 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (PK80)
6. **Top access M05** – top access colour is matched to the colour of the frame
7. **Cable way** – the width of the opening is proportional to the width of the worktop
8. **Mediabox cut – out** – mediabox has to be selected separately

Dimensions of radial worktops (mm)



Frame


Ogi U: powder coated steel, profile 60x30 mm, spacer 10 mm between top and frame




Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour

Desk with managerial storage



- 1. **Worktop** - MFC 28 mm, ABS edge
- 2. **Top** - MFC 28 mm, ABS edge
- 3. **Shelf** - MFC 18 mm, protection against accidental falling-out, ABS edge
- 4. **Drawer** - MFC 18 mm, ABS edge, patent lock - possible to change location
- 5. **Base** - MFC 18 mm, ABS edge
- 6. **Front** - MFC 18 mm, ABS edge





Configuration examples (mm)



Configuration examples (mm)







Configuration examples with BOX40, BOX50, BOX60



ATTENTION – only for Ogi Q, Ogi U, Ogi Y, Ogi M

Accessories




1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminum semi-matt
4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated, colour: 09 – aluminum

Ogi U	Date of preparation 03.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/13 technical description
-------	-----------------------------------	---	------------------------------------

Sliding top

1. Sliding top – shifting range 141 mm




Power strip – for series connection

- 1. **PWS1** – set for 1 workstation – power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** – set for 2 workstation – power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** – set for 3 workstation – power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1

2



3


Desks *




BOU10
1000 / 600 / 740
26.7 kg




BOU12
1200 / 600 / 740
30.4 kg




BOU14
1400 / 600 / 740
32.9 kg




BOU16
1600 / 600 / 740
36.2 kg




BOU49
1000 / 700 / 740
26.7 kg




BOU28
1200 / 700 / 740
34.4 kg




BOU29
1400 / 700 / 740
61 kg



BOU30
1600 / 700 / 740
61.55 kg




BOU19
1200 / 800 / 740
37 kg




BOU20
1400 / 800 / 740
39.5 kg



BOU21
1600 / 800 / 740
44.55 kg



BOU22
1800 / 800 / 740
48.55 kg




BOU27
2000 / 800 / 740
49.35 kg


* dimensions expressed in millimeters: width x depth x height

Ogi U	Date of preparation 03.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 7/13
			products


Elements for arrangement building - straight desk *




BOX10
1000 / 600 / 740
20.7 kg




BOX12
1200 / 600 / 740
22.7 kg




BOX14
1400 / 600 / 740
25.4 kg




BOX16
1600 / 600 / 740
28.9 kg




BOX30
1000 / 700 / 740
20.7 kg



BOX32
1200 / 700 / 740
28.4 kg




BOX34
1400 / 700 / 740
30 kg




BOX36
1600 / 700 / 740
33.55 kg




BOX40
500 / 800 / 740
11 kg




BOX42
1200 / 800 / 740
30.8 kg



BOX43
1400 / 800 / 740
33.3 kg




BOX44
1600 / 800 / 740
38.35 kg




BOX45
1800 / 800 / 740
42.35 kg

* dimensions expressed in millimeters: width x depth x height


Radial desks *




BOU23
1600 / 1200 / 740
48.35 kg




BOU25
1800 / 1200 / 740
51.2 kg



BOU24
1600 / 1200 / 740
47.65 kg




BOU26
1800 / 1200 / 740
50.85 kg




BOU15
1600 / 2410 / 740
89.3 kg


Desks with managerial storage *




BOUL20
1600-1702 / 1600 / 740
103.15 kg



BOUL21
1800-1902 / 1600 / 740
107.15 kg




BOUL40
1600-1702 / 3210 / 740
203.1 kg




BOUL41
1800-1902 / 3210 / 740
211.1 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *




BOU50
1000 / 1210 / 740
44.6 kg




BOU52
1200 / 1210 / 740
48.6 kg




BOU54
1400 / 1210 / 740
54 kg




BOU56
1600 / 1210 / 740
61 kg




BOU48
1000 / 1410 / 740
45.9 kg




BOU42
1200 / 1410 / 740
61.3 kg




BOU44
1400 / 1410 / 740
64.5 kg




BOU46
1600 / 1410 / 740
71.6 kg




BOU32
1200 / 1610 / 740
67.3 kg



BOU33
1400 / 1610 / 740
72.3 kg




BOU34
1600 / 1610 / 740
82.4 kg




BOU35
1800 / 1610 / 740
90.4 kg


Elements for arrangement building - bench *




BOX20
1000 / 1210 / 740
36.6 kg



BOX22
1200 / 1210 / 740
40.6 kg



BOX24
1400 / 1210 / 740
46 kg




BOX26
1600 / 1210 / 740
53 kg

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - bench *




BOX50
1000 / 1410 / 740
24.05 kg




BOX51
1000 / 1410 / 740
38.2 kg




BOX52
1200 / 1410 / 740
53.6 kg




BOX54
1400 / 1410 / 740
56.8 kg




BOX56
1600 / 1410 / 740
63.9 kg




BOX60
1000 / 1610 / 740
28.75 kg




BOX62
1200 / 1610 / 740
58.35 kg



BOX64
1400 / 1610 / 740
63.35 kg




BOX66
1600 / 1610 / 740
73.45 kg




BOX68
1800 / 1610 / 740
81.45 kg

www.mdd.pl


Desk extenstions *



PLU01
600 / 800 / 740
17.8 kg



PLU02
600 / 1000 / 740
19.8 kg



PLU03
600 / 1200 / 740
22 kg

* dimensions expressed in millimeters: width x depth x height

Ogi U	Date of preparation 03.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 11/13
			products


Power strip *



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height

Worktop



26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *



64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi V

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate – MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³


28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³

Ogi desk worktops




Dimensions of radial worktops (mm)




Frame

Ogi V: legs – MFC 28 mm, modesty panel – MFC 18 mm, aluminum spacer
60x20 mm between top and leg




Attention – the cable tray located underneath the worktop is only available in: M009 – aluminium semi-matte colour

Accessories




- 1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
- 3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminium semi-matt


Desks *




BVG02
1200 / 800 / 740
45.2 kg



BVG03
1400 / 800 / 740
49.6 kg




BVG04
1600 / 800 / 740
53.5 kg




BVG05
1800 / 800 / 740
57.9 kg


Radial desks *




BVG10
1600 / 1200 / 740
57.5 kg



BVG17
1800 / 1200 / 740
65.5 kg




BVG11
1600 / 1200 / 740
57.5 kg




BVG18
1800 / 1200 / 740
65.5 kg

* dimensions expressed in millimeters: width x depth x height


Worktop, top, base, body, front




14 Beech *




26 Aluminum
satinato




31 Canadian oak *




39 Polar birch *




67 White pastel




34 Chestnut *




64 Cocoa *




106 Lowland
walnut *




154 Anthracite



08 Black





167 Grey oak





168 Natural oak



Grommet



Aluminum



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi W

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate – MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard, perforated plastic mesh wrap

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³

28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³


Ogi desk worktops



1. **Worktop** – MFC 28 mm, ABS edge
- OPTIONS WITH EXTRA CHARGE:**
2. **Grommet** – 2 pcs, Ø 80 mm
3. **Mediabox M04H** – 2 x RJ45 (class E, cat. 6); + 1 x USB + 1 x HDMI + 4 x 230V, mediabox colour is matched to the colour of the frame
4. **Mediabox M04** – 2 x RJ45 (class E, cat. 6); + 1 x USB + 4 x 230V, mediabox colour is matched to the colour of the frame
5. **Mediabox M07** – 1 x 230V + 1 x USB charger + 1 x RJ45, colour: black, white, mounted instead of the existing grommet Ø80 mm (PK80)
6. **Top access M05** – top access colour is matched to the colour of the frame
7. **Cable way** – the width of the opening is proportional to the width of the worktop
8. **Mediabox cut – out** – mediabox has to be selected separately


Frame

Ogi W: natural wood – ash, coated with transparent varnish, with metal element, powder coated, profile 40 × 40 mm, spacer 10 mm between top and frame




Attention – the cable tray located underneath the worktop is only available in: M009 – aluminium semi-matte colour

Desk with managerial storage




- 1. Worktop - MFC 28 mm, ABS edge
- 2. Top - MFC 28 mm, ABS edge
- 3. Shelf - MFC 18 mm, protection against accidental falling-out, ABS edge
- 4. Drawer - MFC 18 mm, ABS edge, patent lock - possible to change location
- 5. Base - MFC 18 mm, ABS edge
- 6. Front - MFC 18 mm, ABS edge

Configuration examples (mm)




Accessories



- 1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
- 2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
- 3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminium semi-matt
- 4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated, colour: 09 – aluminum

Sliding top




- 1. Sliding top – shifting range 141 mm


Power strip - for series connection

- 1. **PWS1** - set for 1 workstation - power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** - set for 2 workstation - power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** - set for 3 workstation - power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)


1



2



3



Desks *




BOW10
1000 / 600 / 740
23.3 kg



BOW12
1200 / 600 / 740
25.3 kg



BOW14
1400 / 600 / 740
44 kg



BOW16
1600 / 600 / 740
31.5 kg



BOW19
1000 / 700 / 740
23.3 kg



BOW22
1200 / 700 / 740
31 kg



BOW24
1400 / 700 / 740
57.6 kg



BOW26
1600 / 700 / 740
36.15 kg



BOW02
1200 / 800 / 740
34 kg



BOW03
1400 / 800 / 740
36.5 kg



BOW04
1600 / 800 / 740
41.55 kg



BOW05
1800 / 800 / 740
45.55 kg



BOW06
2000 / 800 / 740
45.55 kg




BOW07
1000 / 1000 / 740
56.7 kg


* dimensions expressed in millimeters: width x depth x height

Ogi W	Date of preparation 04.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 7/11
			products


Elements for arrangement building – straight desk, natural wood *




BOW22L
1200 / 700 / 740
26.9 kg




BOW24L
1400 / 700 / 740
28.5 kg




BOW26L
1600 / 700 / 740
32.05 kg




BOW02L
1200 / 800 / 740
29.2 kg



BOW03L
1400 / 800 / 740
31.7 kg




BOW04L
1600 / 800 / 740
36.75 kg




BOW05L
1800 / 800 / 740
40.75 kg


Bench desks *



BOW50
1000 / 1210 / 740
41.6 kg




BOW52
1200 / 1210 / 740
45.6 kg




BOW54
1400 / 1210 / 740
51 kg



BOW56
1600 / 1210 / 740
58 kg



BOW48
1000 / 1410 / 740
42.6 kg



BOW42
1200 / 1410 / 740
58 kg



BOW44
1400 / 1410 / 740
61.2 kg




BOW46
1600 / 1410 / 740
68.3 kg


* dimensions expressed in millimeters: width x depth x height

Ogi W	Date of preparation 04.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 8/11
			products


Bench desks *



BOW32
1200 / 1610 / 740
63 kg



BOW33
1400 / 1610 / 740
68 kg




BOW34
1600 / 1610 / 740
78.1 kg




BOW35
1800 / 1610 / 740
86.1 kg


Elements for arrangement building - bench, natural wood *




BOW42L
1200 / 1410 / 740
52.2 kg




BOW44L
1400 / 1410 / 740
55.4 kg




BOW46L
1600 / 1410 / 740
62.5 kg




BOW32L
1200 / 1610 / 740
56.8 kg



BOW33L
1400 / 1610 / 740
61.8 kg




BOW34L
1600 / 1610 / 740
71.9 kg




BOW35L
1800 / 1610 / 740
79.9 kg


Desks with managerial storage *




BOW20
1702-1600 / 1600 / 740
102.25 kg



BOW21
1902-1800 / 1600 / 740
104.65 kg




BOW40
1702-1600 / 3210 / 740
199.3 kg




BOW41
1902-1800 / 3210 / 740
207.3 kg

* dimensions expressed in millimeters: width x depth x height


Desk extensions *



PLW01
600 / 800 / 740
15.05 kg



PLW02
600 / 1000 / 740
16.05 kg



PLW03
600 / 1200 / 740
18.05 kg


Power strip *



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height


Worktop




26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *




64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

Base



Natural ash

* body - II group

** OPTION WITH EXTRA CHARGE - worktop edge, colour: ash natural

*** the colour of desk legs may differ depending on natural wood ring pattern

Ogi Y

technical specification



.mdd

.mdd has a leading position among manufacturers of office furniture with many awards that prove quality and continuously increase demand for it's products.

The realities of today's market require constant quality improvement at all levels of modern organization. This applies in particular to customer service, marketing, quality of products and also to quality of processes within the company. Partnership relations among employees and with business partners form a base of economic growth and success of the company.

Constant investments in innovative machinery park, optimization of management systems and an expansion of production halls allow to minimize the lead times for the product of the highest quality.

More than twenty years of experience in office furniture industry come with reference from a long list of companies and institutions to show their appreciation for an efficient and comprehensive service.

.mdd is highly aware of the environment.

Being located in the forest region with lake by its side, .mdd takes the nature seriously and invests constantly in a modern and energy-efficient solutions to preserve the local life. Company puts emphasis on waste segregation and recycling. .mdd has been awarded for the exceptional care and involvement in waste disposal. All materials used are environmentally friendly and enjoy a high 95 % rate of being recycled.



General informations:

Warranty:

.mdd products – **5 years**.

Electrical components and fabric – **2 years**.

Certificate - MFC:



Assembly:

product delivered in separate elements

Packing:

cardboard

Compliant with standards:

PN-EN 527-2:2017-02

Boards density:


12 mm – 690 – 750 kg/m³

18 mm – 650 – 690 kg/m³


28 mm – 610 – 630 kg/m³

36 mm – 610 – 630 kg/m³

Ogi desk worktops




Dimensions of radial worktops (mm)



Frame


Ogi Y: powder coated steel, profile 40x40 mm, spacer 10 mm between top and frame



Attention - the cable tray located underneath the worktop is only available in: M009 - aluminium semi-matte colour


Desk with managerial storage

- 1. Worktop - MFC 28 mm, ABS edge
- 2. Top - MFC 28 mm, ABS edge
- 3. Shelf - MFC 18 mm, protection against accidental falling-out, ABS edge
- 4. Drawer - MFC 18 mm, ABS edge, patent lock - possible to change location
- 5. Base - MFC 18 mm, ABS edge
- 6. Front - MFC 18 mm, ABS edge





www.mdd.eu



Configuration examples (mm)



Configuration examples (mm)







Configuration examples with BOX40, BOX50, BOX60



ATTENTION – only for Ogi Q, Ogi U, Ogi Y, Ogi M

Accessories




1. Horizontal cable tray S69 – powder coated, colour: 09 – aluminum
2. Single desk horizontal cable tray (SG12, SG16) – powder coated metal, colour: M009 – aluminum semi-matt
3. Horizontal cable tray E64 – powder coated, colour: M009 – aluminum semi-matt
4. Cable tray for bench desks (SG220, SG260) – steel wire Ø4 mm, powder coated, colour: 09 – aluminum

Ogi Y	Date of preparation 04.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 5/12 technical description
-------	-----------------------------------	---	------------------------------------

Sliding top

1. Sliding top – shifting range 141 mm




Power strip – for series connection

- 1. **PWS1** – set for 1 workstation – power strip (3x SCHUCKO, 2x RJ45) x1 + power cord (universal outlet PL/FR/Schucko)
- 2. **PWS2** – set for 2 workstation – power strip (3x SCHUCKO, 2x RJ45) x2 + set of power cords (universal outlet PL/FR/Schucko)
- 3. **PWS3** – set for 3 workstation – power strip (3x SCHUCKO, 2x RJ45) x3 + set of power cords (universal outlet PL/FR/Schucko)

1

2




3


Desks *




BOY01
1000 / 600 / 740
27.3 kg




BOY12
1200 / 600 / 740
31 kg



BOY14
1400 / 600 / 740
33.5 kg




BOY16
1600 / 600 / 740
36.8 kg




BOY20
1000 / 700 / 740
26.1 kg




BOY22
1200 / 700 / 740
33.8 kg




BOY24
1400 / 700 / 740
35.4 kg




BOY26
1600 / 700 / 740
38.95 kg




BOY02
1200 / 800 / 740
36.8 kg




BOY03
1400 / 800 / 740
39.3 kg



BOY04
1600 / 800 / 740
44.35 kg




BOY05
1800 / 800 / 740
48.35 kg




BOY06
2000 / 800 / 740
49.15 kg

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - straight desk *




BOX10
1000 / 600 / 740
20.7 kg




BOX12
1200 / 600 / 740
22.7 kg




BOX14
1400 / 600 / 740
25.4 kg




BOX16
1600 / 600 / 740
28.9 kg




BOX30
1000 / 700 / 740
20.7 kg



BOX32
1200 / 700 / 740
28.4 kg




BOX34
1400 / 700 / 740
30 kg




BOX36
1600 / 700 / 740
33.55 kg




BOX40
500 / 800 / 740
11 kg




BOX42
1200 / 800 / 740
30.8 kg



BOX43
1400 / 800 / 740
33.3 kg




BOX44
1600 / 800 / 740
38.35 kg




BOX45
1800 / 800 / 740
42.35 kg

* dimensions expressed in millimeters: width x depth x height


Radial desks *




BOY10
1600 / 1200 / 740
48.15 kg




BOY17
1800 / 1200 / 740
51 kg



BOY11
1600 / 1200 / 740
47.45 kg




BOY18
1800 / 1200 / 740
50.65




BOY15
1600 / 2410 / 740
88.7 kg


Desks with managerial storage *




BOYL20
1600-1702 / 1600 / 740
104.35 kg



BOYL21
1800-1902 / 1600 / 740
106.75 kg




BOYL40
1600-1702 / 3210 / 740
202.4 kg




BOYL41
1800-1902 / 3210 / 740
210.4 kg


Desk extensions *



PLY01
600 / 800 / 740
18.1 kg




PLY02
600 / 1000 / 740
20.1 kg




PLY03
600 / 1200 / 740
22.3 kg

* dimensions expressed in millimeters: width x depth x height


Bench desks *




BOY50
1000 / 1210 / 740
43.3 kg




BOY52
1200 / 1210 / 740
47.3 kg




BOY54
1400 / 1210 / 740
52.7 kg




BOY56
1600 / 1210 / 740
59.7 kg




BOY40
1000 / 1410 / 740
46 kg




BOY42
1200 / 1410 / 740
61.4 kg




BOY44
1400 / 1410 / 740
64.6 kg




BOY46
1600 / 1410 / 740
71.7 kg




BOY32
1200 / 1610 / 740
66.7 kg



BOY33
1400 / 1610 / 740
71.7 kg




BOY34
1600 / 1610 / 740
81.8 kg




BOY35
1800 / 1610 / 740
89.8 kg


Elements for arrangement building - bench *




BOX20
1000 / 1210 / 740
36.6 kg



BOX22
1200 / 1210 / 740
40.6 kg



BOX24
1400 / 1210 / 740
46 kg




BOX26
1600 / 1210 / 740
53 kg

* dimensions expressed in millimeters: width x depth x height


Elements for arrangement building - bench *




BOX50
1000 / 1410 / 740
24.05 kg




BOX51
1000 / 1410 / 740
38.2 kg




BOX52
1200 / 1410 / 740
53.6 kg




BOX54
1400 / 1410 / 740
56.8 kg




BOX56
1600 / 1410 / 740
63.9 kg




BOX60
1000 / 1610 / 740
28.75 kg




BOX62
1200 / 1610 / 740
58.35 kg



BOX64
1400 / 1610 / 740
63.35 kg



BOX66
1600 / 1610 / 740
73.45 kg



BOX68
1800 / 1610 / 740
81.45 kg

www.mdd.eu


Power strip *



PWS1
500 / 430 / 569
1.1 kg



PWS2
500 / 430 / 569
1.6 kg



PWS3
500 / 430 / 569
2.1 kg

* dimensions expressed in millimeters: width x depth x height

Ogi Y	Date of preparation 04.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 11/12
			products

Worktop




26 Aluminum
satinato



31 Canadian oak *



39 Polar birch *




64 Cocoa *



168 Natural oak *



169 Honey oak*



170 Acacia *



67 White pastel



171 Dark walnut*



106 Lowland
walnut *



154 Anthracite



08 Black



167 Grey oak *

Grommet



Aluminum



Beige



White



Black

Frame, mediabox - metal



M009 Aluminum
semi-matt
RAL9006



M015 White
semi-matt
RAL9010



M154 Antracite
semi-matt
RAL7043



M115 Black
semi-matt
RAL9005

* body - II group

Ogi Y	Date of preparation 04.11.2021	The data contained in this document is valid in the day of its preparation. Change of the product, as long as it does not affect the basic features of it, does not require consistent updates of the document.	page 12/12
			colours