

# INTERIORS **Caimi**



# SOCRATE

## The aesthetic virtues of the SOCRATE system



SOCRATE: detail of the transparent glass shelf



SOCRATE: detail of the steel shelf



SOCRATE: detail of the steel sliding closing

- A clean, streamlined design and understated elegance lend the Socrate system the unique ability to fit beautifully into any type of setting - in historic residences or modern new constructions. The sleek steel uprights afford a visually lightweight and extremely elegant appearance to the bookshelves. An example of perfect integration between form and function is achieved by the design of the horizontal and inclined steel rods that represent the stylistic character of the product as well as allow the shelves to be combined, without the use of additional supports.

- The Socrate system is an “open system” since it can evolve and transform, expand or change after its original arrangement as needed to fit the space. Rooms be decorated starting with its simple structure - adding the most appropriate accessories, changing up the finishes or details, to keep the look fresh and new. The spaces can be renovated as needed without having to change the basic elements.

- Using the Socrate system, it is possible to create complete furnishings, from bookshelves and display cases to retail furnishings, etc., while maintaining a certain stylistic uniformity.

- The systems are completed by a large number of accessories that can often be added as needed to either Socrate and Socrate Parete. Both Socrate lines share the same look and the same finishes, so they can be used together in the same room, without creating mismatched style. Another effective decorating idea is to pair Socrate with other furnishings in the room.

- The upright of the Socrate line is also available in chrome plated steel version to add even more elegance to the most sophisticated spaces or executive offices or reception areas.

### Functional features

- The standardization of the product is expressed through the ability to combine several units, the ease of assembly and disassembly, and the interchangeability of the components, all features typical of industrial-produced products and designed and developed exactly for this purpose.
- Stability and durability are guaranteed by the skilful method of workmanship of the metal. The technical details have been studied to meet the safety requirements set down by current law - rounded edges, accident-proof end caps, folded metal sheet, superior hygiene and resistance to flame, etc.
- The product has been submitted to a number of stringent quality tests (UNI/EN)
- The shelves can be moved just about anywhere along the upright, thereby creating shelf space of variable heights, without wasting space.
- Several types of shelves are available, including shelves in scratch-proof micro-perforated steel sheet. The unusual micro-perforated texture and the powder-coated finish ensure exceptional durability against abrasion caused by sliding out books and moving racks.
- Durable powder-coated finish in mat white and metal grey for the uprights and metal grey and matt white for the shelves and accessories. Note the special scratch-proof characteristic of the finish.

### Technical information of the Socrate system

#### SHELVES:

- 96 cm shelf accommodates about 35 books
- 56 cm shelf accommodates about 20 books
- 96 cm shelf accommodates about 11 racks (8.5 cm wide)
- 56 cm shelf accommodates about 6 racks (8.5 cm wide)



SOCRATE



SOCRATE: detail of micro-perforated steel shelves



SOCRATE

### Accessories

Socrate comes complete with a variety of accessories and can be easily incorporated with the SOCRATE PARETE system, also by Caimi Brevetti.



SOCRATE: detail of the steel hanger support

- The wide range of accessories produced by Caimi Brevetti can easily supply complete systems for any type of settings. The general product catalogue includes accessory articles such as waste paper baskets, floor-standing and wall-mounted coat racks, umbrella stands, display cases, computer stands, tables, chairs in individual and multiple seating configurations, office accessories, wall clocks, table lamps, etc

- Ease of functional transformation and application of accessory elements



SOCRATE: detail of the magazine rack

- The SOCRATE “Open” system is like a “mechanical game” that can subsequently evolve, expand or change the spaces created. One of the most interesting features of the product is its ability to increase the furnishings as needed and simply and practically change the layout of a room.

- The same system makes it possible to create bookshelves as well as any number of other decorating accessories, such as displays for new literary items and promotions, elements that can meet current needs of “on-line” consultation of computerized files or over the Internet, all the while maintaining a certain stylistic uniformity to the room.



SOCRATE: detail of the transparent feet

The SOCRATE system is frequently supplied for library furnishing uses because of its functional characteristics and because of its ability to expand in direct proportion to the expansion or changes in the library holdings.

**Dimensions of the SOCRATE system**

Depths: available in two sizes of 35 and 45 cm

Heights of the uprights for D45 cm: 238 - 200 - 162 - 105 - 86 - 47 cm






Heights of the uprights for D35 cm: 238 - 200 - 162 - 86 cm

Length: First unit L=100 or 60 cm  
Following units L=96.5 and 56.5 cm

Upright colour: Mat white, metal grey or chrome-plated

Steel sheet shelf colour: Metal grey or matt white

Glass shelf colour: Transparent




**Load-bearing structures**

Note that the elements necessary to ensure the stability of the Socrate units are: at least two uprights, at least two shelves and one or more load-bearing structures.

The minimum number of load-bearing elements to use for the various heights of the uprights are shown in table 1.

Remember that only the elements described in this paragraph are considered load-bearing elements, namely: bracing crosses, backs in steel rods or back panels in steel sheet.

Load-bearing elements are the articles listed in table 1



**Uprights**

**Materials:** welded, powder-coated steel rods

**Colours:** matt white or metal grey or chrome-plated steel

**Features:** uprights consist of three Ø7 mm steel rods line up at the front and three identical rods in the back, held together by pairs of diagonal rods Ø6 mm set 19 cm apart. The uprights have feet and tips in a high-tech polymer with threaded insert in zinc plated steel, high-tech polymer protective caps.


**Notes:** the distance between the vertical rods is 5 mm and allows M4 screws to pass through to fasten accessories, bracing crosses, etc

**TABLE 1**

	2910 2960		2712 2715		2722 2725		2716 2719	
	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.	MIN.	MAX.
H 238	1	3	3	6	4	12	2	4
H 200	1	2	2	5	3	10	2	4
H 162	1	2	2	4	3	8	2	3
H 105	1	1	2	2	2	5	1	2
H 86	1	1	1	2	1	4	1	1
H 47	-	-	1	1	1	2	-	-

Minimum and maximum number of load bearing elements for a complete module.

4986/2



**Feet and end caps for uprights:**

Dimensions: Ø5 cm  
Ø3 cm

Materials: - end caps in high-tech polymer  
- threaded insert and M10 zinc plated steel screws  
- support foot in high-tech polymer  
- upper protection caps in grey high-tech polymer

Colours: grey

4986/2-N



**Feet and end caps for uprights:**

Dimensions: Ø3 cm

Materials: - end caps in high-tech polymer  
- threaded insert and M10 zinc plated steel screws  
- support foot in high-tech polymer  
- upper protection caps in black high-tech polymer

Colours: black

4986/2-T



**Feet and end caps for uprights:**

Dimensions: Ø3 cm

Materials: - end caps in translucent high-tech polymer  
- threaded insert and M10 zinc plated steel screws  
- load bearing foot in chrome-plated metal sheathed high-tech polymer  
- upper protection caps in translucent high-tech polymer

Colours: transparent

2910-XX  
2960-XX

See table 1



**Bracing crosses:**

Dimensions: L96 cm x Ø8 mm (cod.2910-XX)  
L56 cm x Ø8 mm (cod.2960-XX)

Materials: 2 flattened Ø8 mm steel rods with a hole at each end and at the centre.

Powder-coated or chrome-plated finish

Colours: matt white, metal grey or chrome-plated finish


Assembly: fasten together and to the uprights with M4 screws, wing nuts and washers

Notes: see table 1

XX=colour option:  
GM = Metal Grey  
BO = Matt White  
C = Chrome-plated

2722-XX  
2725-XX

See table 1



**Backs:**

Dimensions: L96 x H15 cm (cod.2722-XX)  
L56 x H15 cm (cod.2725-XX)

Materials: 2 flattened Ø8 mm steel rods with a hole at each end, welded together with a third shaped rod, powder-coated or chrome-plated finish

Colours: matt white, metal grey or chrome-plated


Assembly: fasten onto the upright with M4 screws, wing nuts and washers

Notes: see table 1

XX=colour option:  
GM = Metal Grey  
BO = Matt White  
C = Chrome-plated

2712-XX  
2715-XX

See table. 1



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Steel sheet back panel:

Dimensions: L96 x H38 cm (cod.2712-XX)  
L56 x H38 cm (cod.2715-XX)

Materials: 1 mm powder-coated steel sheet, folded upper, lower and side edges


Colours: metal grey or matt white

Assembly: fasten onto the upright with M4 screws, wing nuts and washers

Notes: see table 1

3910-XX  
3960-XX

4910-XX  
4960-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Inclined display shelves:

Dimensions: SOCRATE 35 L96 x D31,5 cm (cod.3910-XX)  
L56 x D31,5 cm (cod.3960-XX)  
SOCRATE 45 L96 x D41,5 cm (cod.4910-XX)  
L56 x D41,5 cm (cod.4960-XX)


Materials: powder-coated micro-perforated steel sheet, folded for added stiffness on the front and rear edges, with rounded edges, 22 mm thick and folded front edge, H 4 cm

Colours: metal grey or matt white

Assembly: fitted onto the rods of the upright

3010-XX  
3060-XX

4010-XX  
4060-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Micro-perforated steel sheet shelves:

Dimensions: SOCRATE 35 L96 x D33,5 cm (cod.3010-XX)  
L56 x D33,5 cm (cod.3060-XX)  
SOCRATE 45 L96 x D43,5 cm (cod.4010-XX)  
L56 x D43,5 cm (cod.4060-XX)


Materials: powder-coated micro-perforated steel sheet, with folded edge for added stiffness on the front and rear edges, rounded 22,5 mm edges

Colours: metal grey or matt white

Assembly: fasten directly onto the horizontal rods of the uprights

3012-XX  
3062-XX

4012-XX  
4062-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Steel sheet shelves:


Dimensions: SOCRATE 35 L96 x D33,5 cm (cod.3012-XX)  
L56 x D33,5 cm (cod.3062-XX)  
SOCRATE 45 L96 x D43,5 cm (cod.4012-XX)  
L56 x D43,5 cm (cod.4062-XX)

Materials: powder-coated steel sheet, with folded edge for added stiffness on the front and rear edges, rounded 22,5 mm edges

Colours: metal grey or matt white

Assembly: directly onto the horizontal rods of the uprights

63010-XX 64R100-XX  
63060-XX 64R600-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Micro-perforated steel sheet shelves with raised back edge:

Dimensions: SOCRATE 35 L96 x D33,5 cm (cod.63010-XX)  
L56 x D33,5 cm (cod.63060-XX)  
SOCRATE 45 L96 x D43,5 cm (cod.64R100-XX)  
L56 x D43,5 cm (cod.64R600-XX)


Materials: powder-coated micro-perforated steel sheet, rounded 22,5 mm edges with frontal folded edge for added stiffness. The back edge is raised to hold the books and has a bottom rail to accommodate the sliding bookends

Colours: metal grey or matt white

Assembly: fasten directly onto the horizontal or inclined rods of the uprights

Notes: the shelves can be assembled straight or inclined

63012-XX 64R102-XX  
63062-XX 64R602-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

#### Steel sheet shelves with raised back edge:

Dimensions: SOCRATE 35 L96 x D33,5 cm (cod.63012-XX)  
L56 x D33,5 cm (cod.63062-XX)  
SOCRATE 45 L96 x D43,5 cm (cod.64R102-XX)  
L56 x D43,5 cm (cod.64R602-XX)


Materials: powder-coated steel sheet, rounded 22,5 mm edges with frontal folded edge for added stiffness. The back edge is raised to hold the books and has a bottom rail to accommodate the sliding bookends

Colours: metal grey or matt white

Assembly: fasten directly onto the horizontal or inclined rods of the uprights

Notes: the shelves can be assembled straight or inclined

3973-GM  
3974-GM



#### Reinforcement for metal TOP shelves positioned at a height of 100 cm or lower:


Dimensions: L 96 cm (cod.3973-GM)  
L 56 cm (cod.3974-GM)

Materials: powder-coated steel tubular and end caps, threaded zinc-plated bars

Colours: metal grey

Assembly: under, at the rounded edge of the top shelves in steel

3014-XX 4014-XX  
3064-XX 4064-XX




XX=colour option:  
N = Black  
GR = Grey  
BO = White

#### Transparent glass shelves:

Dimensions: SOCRATE 35 L96 x D33,5 cm (cod.3014-XX)  
L56 x D33,5 cm (cod.3064-XX)  
SOCRATE 45 L96 x D43,5 cm (cod.4014-XX)  
L56 x D43,5 cm (cod.4064-XX)

Materials: - shelf in tempered float glass, 8 mm thick  
- shelf brackets in black, grey or white high-tech polymer

Assembly: fasten directly onto the horizontal rods of the uprights with high-tech polymer shelf supports


**4000-XX****XX=colour option:**

GM = Metal Grey

BO = Matt White

**Steel corner shelf:****Dimensions:** SOCRATE 45 L43,5 x D43,5 cm (cod.4000-XX)**Materials:** 1 mm powder-coated steel sheet, rounded front edge,  
22 mm thick**Colours** metal grey or matt white**Assembly:** fit into the horizontal rods of the upright**2678-XXXX**

See table 2

**XXXX=colour option:**

GMGM = Metal Grey closings, Metal Grey slides

GMBO = Metal Grey closings, Matt White slides

BOGM = Matt White closings, Metal Grey slides

BOBO = Matt White closings, Matt White slides

**Steel sheet sliding closings with lock:****Dimensions:** L96 x H36 cm**Materials:** - sliding closings in 1 mm powder-coated steel sheet,  
with 2 Ø25 mm holes at each side for moving the closing.  
Nickel-plated lock.


- Master key

- slides in 1 mm powder-coated steel sheet, interior in  
high-tech polymer**Colours:** - metal grey or matt white closings

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.  
Closings fit into the slides**Notes:** see table 2 for the compatibility with the shelves**2660-XXXX**

See table 2

**XXXX=colour option:**

GMGM = Metal Grey closings, Metal Grey slides

GMBO = Metal Grey closings, Matt White slides

BOGM = Matt White closings, Metal Grey slides

BOBO = Matt White closings, Matt White slides

RGM = Red closings (RAL 3002), Metal Grey slides

RBO = Red closings (RAL 3002), Matt White slides

**Steel sheet sliding closings:****Dimensions:** L96 x H36 cm**Materials:** - sliding closings in 1 mm powder-coated steel sheet,  
with 2 Ø25 mm holes at each side for moving the closing  
- slides in 1 mm powder-coated steel sheet, interior in  
high-tech polymer**Colours:** - metal grey, matt white, red, yellow, orange or turquoise  
closings

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.  
Closings fit into the slides**Notes:** see table 2 for the compatibility with the shelves**XXXX=colour option:**

GLGM = Yellow closings (RAL 1032), Metal Grey slides

GLBO = Yellow closings (RAL 1032), Matt White slides

ARGM = Orange closings (RAL 2008), Metal Grey slides


ARBO = Orange closings (RAL 2008), Matt White slides

TUGM = Turquoise closings (RAL 5018), Metal Grey slides

TUBO = Turquoise closings (RAL 5018), Matt White slides

**2660-LXX**

See table 2

**XXXX=colour option:**

LGM = Oak veneered / Walnut veneered closings, Metal Grey slides

LBO = Oak veneered / Walnut veneered closings, Matt White slides

**Sliding closings in wood finish:****Dimensions:** L96 x H36 cm

**Materials:** - sliding closings in aluminum plated MDF that are wood veneered, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - closings in oak veneered on one side and walnut veneered on other side

- metal grey or matt white slides


**Assembly:** fasten onto the vertical rods of the uprights with screws.

Closings fit into the slides

**Notes:** see table 2 for the compatibility with the shelves

**2663-TXX**

See table 2

**XX=colour option:**

GM = Metal Grey

BO = Matt White

**Sliding flap closings in transparent methacrylate:****Dimensions:** L96 xH36 cm

**Materials:** - sliding closings in 2 mm transparent, methacrylate, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - transparent closings

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.


Closings fit into the slides

**Notes:** - closings which can double as displays for photographs, art work

- see table 2 for the compatibility with the shelves

**2687-XX**

See table 2

**XX=colour option:**

GM = Metal Grey

BO = Matt White

**Screen-printed transparent glass sliding closings:****Dimensions:** L96 x H36 cm

**Materials:** - sliding closings in tempered 5 mm screen-printed float glass, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - transparent closings screen-printed in white

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.

Closings fit into the slides


**Notes:** - see table 2 for the compatibility with the shelves

- Design Frida Doveil



2675-XX

See table 2



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Transparent glass sliding closings with lock:****Dimensions:** L96 x H36 cm

**Materials:** - sliding closings in tempered 5 mm float glass, with 2 Ø25 mm holes at each side for moving the closing. Nickel-plated metal lock.

**Master key**

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - transparent closings

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.


Closings fit into the slides

**Notes:** see table 2 for the compatibility with the shelves

2664-XX

2666-XX

See table 2



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Transparent glass sliding closings:****Dimensions:** L96 x H36 cm (cod.2664-XX)

L96 x H37 cm (cod.2666-XX)

**Materiali:** - sliding closings in tempered 5 mm float glass, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - transparent closings

- metal grey or matt white slides

**Assembly:** fasten onto the vertical rods of the uprights with screws.

Closings fit into the slides


**Notes:** art. 2666 closings are only mounted if the upper surface is in glass

**Notes:** see table 2 for the compatibility with the shelves

2667-XX

2672-XX

See table 2



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Acid-treated glass sliding closings:****Dimensions:** L96 x H36 cm (cod.2667-XX)

L96 x H37 cm (cod.2672-XX)

**Materials:** - sliding closings in acid treated tempered 5 mm float glass, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in high-tech polymer

**Colours:** - Acid-treated closings

- metal grey or matt white slides


**Assembly:** fasten onto the vertical rods of the uprights with screws.

Closings fit into the slides

**Notes:** art. 2672 closings are only mounted if the upper surface is in glass


**Notes:** see table 2 for the compatibility with the shelves

2659


**Locks for glass closings:****Materials:** steel**Colours:** chrome-plated**Assembly:** fastens to sliding glass closings**Notes:** 2 keys provided standard

To use only with transparent sliding glass closings (art. 2664/2666)

TABLE 2



2679



Use only with shelves:  
**3010/3012**  
**4010/4012**  
**63010/63012**  
**64R100/64R102**

**Three-panels display, in methacrylate:**


Dimensions: L96 x H43,5 cm

Materials: - satin finish methacrylate displays, 3 mm thick, front containment edge D22 x H45 mm  
 - chrome-plated tubular steel, Ø20 mm  
 - 2 mm metal grey powder-coated steel side supports

Colours: translucent

Assembly: fasten onto the vertical rods of the upright with M4 screws

2612-XX  
 2625-XX



XX=colour option:  
 GM = Metal Grey  
 BO = Matt White

**Exterior closings in steel sheet:**

Dimensions: SOCRATE 35 L33 x H38 cm (cod.2625-XX)  
 SOCRATE 45 L43 x H38 cm (cod.2612-XX)


Materials: 1 mm powder-coated steel sheet, folded edges

Colours: metal grey or matt white

Assembly: fastened directly to the horizontal rods of the uprights

Notes: article numbers refer to the pair  
 Use only on end uprights (outer)

2735-XX  
 2738-XX



XX=colour option:  
 GM = Metal Grey  
 BO = Matt White

**Inside closings in steel sheet:**

Dimensions: SOCRATE 35 L33 x H38 cm (cod.2738-XX)  
 SOCRATE 45 L43 x H38 cm (cod.2735-XX)


Materials: 1 mm powder-coated steel sheet, folded edges

Colours: metal grey or matt white

Assembly: fastens directly onto the horizontal rods of the uprights

Notes: article numbers refer to the pair  
 Use only on end uprights (outer)

4110-XX



XX=colour option:  
 GM = Metal Grey  
 BO = Matt White

**Steel container unit:**

Dimensions: SOCRATE 45 L100x D43 cm


Materials: powder-coated steel

Colours: metal grey or matt white

Assembly: directly onto the uprights

Notes: available only for the depth of 45 cm

6A63



**Adhesive antislip strips:**

Dimensions: L5 x D38 cm

Materials: black antislip high-tech polymer with an adhesive tape

Colours: black

Notes: Use with container unit cod. 4110

Notes: available only for the depth of 45 cm


4993-N  
4993-T



**Cable holder:**

**Materials:** high-tech polymer  
**Colours:** black or transparent  
**Assembly:** directly to the vertical rods of the uprights  
**Notes:** 8-piece kit

2757-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Universal support hardware:**

**Dimensions:** L96 x H6 cm (cod.2757-XX)  
**Materials:** 3 mm powder-coated steel sheet, with a holes at either end  
**Colours:** metal grey or matt white  
**Assembly:** fastens onto the vertical rods of the uprights with M4 screws, wing nuts and washers  
**Notes:** with 20x9 mm slots for fastening the blister holder (art. 2765), hanger support (art. 2770) and chrome plated tubular steel supports (art. 2763)

2765




Use only with support:  
2757

**Blister holder in chrome-plated steel:**

**Dimensions:** D20 x L2,8 cm  
**Materials:** steel rod Ø5 mm with slotted hardware plate to fasten onto the universal supports  
**Colours:** chrome-plated  
**Assembly:** fastens onto slotted hardware plate at each end, M4 screws, wing nut and washers

2763




Use only with support:  
2757

**Chrome-plated metal support:**

**Dimensions:** L30 x Ø2 cm  
**Materials:** chrome-plated steel tube with a threaded M8 bushing  
**Assembly:** fastens with M8 screws

2770-XX




Use only with support:  
2757

XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Hanger holder coated steel:**

**Dimensions:** L36 cm  
**Materials:** Ø25 mm powder-coated steel sheet, fitted with pegs Ø6 x H30 mm, located 40 mm apart for fastening hangers  
**Colours:** metal grey or matt white  
**Assembly:** fastens with M8 screws

2812-XX  
2862-XX




XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Clothes rack/foot rest:**

**Dimensions:** SOCRATE 35 L96 x D33,5 cm (cod.2812-XX)  
 SOCRATE 45 L96 x D43,5 cm (cod.2862-XX)  
**Materials:** - chrome-plated Ø20 mm tubular steel  
 - side brackets in 1 mm powder-coated steel sheet in metal grey or matt white  
**Assembly:** fastens directly onto the horizontal rods of the upright with M8 screws

2895-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Technical drawing holder:****Dimensions:** L96 x D30 cm

**Materials:** - universal support in powder-coated steel sheet, 3 mm thick, with a hole at each end  
- L30 x Ø2 cm chrome-plated steel tubes, fitted with a threaded M8 bushing at the end

**Colours:** metal grey or matt white

**Assembly:** - bracket fastens onto the vertical rods of the upright M4 screws, wing nuts and washers  
- Fasten of the tubes to the slots of the support by M8 screws

**Notes:** adjustable space

2746-XX



XX=colour option:  
GM = Metal Grey  
BO = Matt White

**Sign banner:****Dimensions:** L12 x H12 cm**Materials:** folded 1 mm powder-coated steel sheet**Colours:** metal grey or matt white

**Assembly:** fasten onto the vertical rods of the uprights with M4 screws, wing nuts and washers


6A52



Use only with shelves:  
3010/3060/3012/3062/3910/3960  
4010/4060/4012/4062/4910/4960  
63010/63060/63012/63062  
64R100/64R600/64R102/64R602

**Shelf marker:****Dimensions:** L12 x H2,3 cm**Materials:** transparent polymer


**Assembly:** directly to the edge of the steel shelf with a double sided tape

**Notes:** code refers to 10 pieces6A2272  
6A2274**Sign bands:**

**Dimensions:** L96 x H10 cm (cod.6A2272)  
L56 x H10 cm (cod.6A2274)

**Materials:** powder-coated steel sheet with upper and lower sides folded**Colours:** metal grey or matt white**Assembly:** hooked onto special steel supports (cod. 6A2278)

6A2278

**Support for sign bands:****Materials:** folded powder-coated steel sheet**Colours:** metal grey or matt white

**Assembly:** fasten onto the vertical rods of the uprights with M4 screws, wing nuts and washers

**Notes:** use only with sign bands cod. 6A2272 e 6A2274

6A2780


**Book holder:****Dimensions:** D24 x H28 cm

**Materials:** folded chrome-plated steel rods, with a high-tech polymer element to allow them to slide along the track inserted below the metal shelves.

**Colours:** chrome-plated

**Assembly:** hooked into the track inserted below the metal shelves  
cod. 63010, 63060, 63012, 63062, 64R100, 64R600, 64R102, 64R602

## 2995/46-XX



XX=colour option:

GM = Metal Grey

BO = Matt White

**Pair of joints for double sided connection:**

**Materials:** transparent high-tech polymer joints and powder-coated steel floor brackets


**Colours:** transparent joints and metal grey or matt white floor brackets

**Assembly:**


- joints assembled between the vertical rods of the uprights with screws, wing nuts and washers
- Floor brackets racket fastens directly to the horizontal lower rod of the upright. Adjustable bracket with screws, nuts and washers.

Fastens to the floor with screws, not provided

**Notes:** for uprights of max height of 238 cm



## 2646-XX



XX=colour option:

GM = Metal Grey

BO = Matt White

**Pair of floor brackets:**


**Materials:** Powder-coated steel floor brackets

**Colours:** Metal Grey or Matt White

**Assembly:** bracket fastens directly to the horizontal lower rod of the upright. Adjustable bracket with screws, nuts and washers. Fastens to the floor with screws, not provided

**Notes:** To be uses only for shelving systems not attached to the wall

## 2996-GM

**Pair of corner brackets:**


**Materials:** 2 mm powder-coated steel

**Colours:** metal grey

**Assembly:** fasten onto the vertical rods of the upright with M4 screws, wing nuts and washers

**Notes:** code refers to the pair  
Used for the connection of uprights with fixed 90° angles

## 4994-XX



XX=colour option:

GM = Metal Grey

BO = Matt White

**Wall mounting:**

**Materials:** powder-coated bent steel

**Colours:** mat white or metal grey

**Notes:** fastens to the wall with screws, not provided



**Omega Ekspres SIA**

LV40003402577

Biroja adrese: Lāčplēša 125, LV-1003, Rīga

[www.city-office.lv](http://www.city-office.lv)

info@city-office.lv

---

CAIMI BREVETTI S.p.A. - Via Brodolini, 25/27 - 20834 Nova Milanese - MB - Italy - tel. 0362 49101

Ufficio Vendite Italia: tel. 0362 491001 - fax 0362 491060 - e-mail: [vendite.italia@caimi.com](mailto:vendite.italia@caimi.com)

Export Department: tel. (+39) 0362 491002 - fax (+39) 0362 491061 - e-mail: [export.dept@caimi.com](mailto:export.dept@caimi.com)

[www.caimi.com](http://www.caimi.com)

---

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures and colours are purely as an indication.

---

**INTERIORS**  
**Caimi** 

18/18